Product Datasheet

TPX2 Antibody (TPX2-01) [DyLight 650] NBP2-67265C

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-67265C

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-67265C



NBP2-67265C

TPX2 Antibody (TPX2-01) [DyLight 650]

under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	TPX2 Antibody (TPX2-01) [DyLight 650]	
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone TPX2-01 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate DyLight 650 Purity Protein A purified Buffer 50 mM Sodium Borate Product Description Host Mouse Gene ID 22974 Gene Symbol TPX2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Western Blot, ELISA, Immunohistochemistry, Immunopistochemistry-Paraffin, Immunoprecipitation, Immunoprecipitation,	Product Information	
Services. Storage Store at 4C in the dark. Clonality Monoclonal Clone TPX2-01 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate DyLight 650 Purity Protein A purified Buffer 50 mM Sodium Borate Product Description Host Mouse Gene ID 22974 Gene Symbol TPX2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunoprecipitation, Immunoprecipitation,	Unit Size	0.1 ml
Clonality Monoclonal Clone TPX2-01 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate DyLight 650 Purity Protein A purified Buffer 50 mM Sodium Borate Product Description Host Mouse Gene ID 22974 Gene Symbol TPX2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunoprecipitation,	Concentration	·
Clone TPX2-01 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate DyLight 650 Purity Protein A purified Buffer 50 mM Sodium Borate Product Description Host Mouse Gene ID 22974 Gene Symbol TPX2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry, Immunoprecipitation,	Storage	Store at 4C in the dark.
Preservative Isotype IgG1 Conjugate DyLight 650 Purity Protein A purified Buffer 50 mM Sodium Borate Product Description Host Mouse Gene ID 22974 Gene Symbol TPX2 Species Human, Mouse, Rat Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunoprecipitation, Immunocytochemistry Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Clonality	Monoclonal
Isotype	Clone	TPX2-01
Conjugate DyLight 650 Purity Protein A purified Buffer 50 mM Sodium Borate Product Description Host Mouse Gene ID 22974 Gene Symbol TPX2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Preservative	0.05% Sodium Azide
Purity Protein A purified Buffer 50 mM Sodium Borate Product Description Host Mouse Gene ID 22974 Gene Symbol TPX2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Isotype	lgG1
Buffer 50 mM Sodium Borate Product Description Host Mouse Gene ID 22974 Gene Symbol TPX2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Conjugate	DyLight 650
Product Description Host Mouse Gene ID 22974 Gene Symbol TPX2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Purity	Protein A purified
Host Mouse Gene ID 22974 Gene Symbol TPX2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Buffer	50 mM Sodium Borate
Gene ID Gene Symbol TPX2 Species Human, Mouse, Rat Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Product Description	
Gene Symbol TPX2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Host	Mouse
Species Human, Mouse, Rat Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Gene ID	22974
Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Gene Symbol	TPX2
host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Specificity/Sensitivity The mouse monoclonal antibody TPX2-01 recognizes the epitope EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Species	Human, Mouse, Rat
EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of tumors and is a marker of worse prognosis in various cancers. Immunogen Human TPX2 Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Reactivity Notes	host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact
Product Application Details Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Specificity/Sensitivity	EPFVPKKEKKS (aa 636-646 in human) of TPX2, a microtubule-associated intracellular critical regulator of mitosis, which is overexpressed in many types of
Applications Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Immunocytochemistry Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Immunogen	Human TPX2
Immunoprecipitation, Immunocytochemistry Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation,	Product Application Details	
	Applications	
	Recommended Dilutions	Western Blot, ELISA, Immunohistochemistry, Immunoprecipitation, Immunohistochemistry-Paraffin, Immunocytochemistry





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-67265C

NBP1-97005C Mouse IgG1 Isotype Control (MG1) [DyLight 650]
H00022974-Q01-10ug Recombinant Human TPX2 GST (N-Term) Protein

210-TA-005 TNF-alpha [Unconjugated]
NBL1-17236 TPX2 Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67265C

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

