## **Product Datasheet**

## CYBB/NOX2 Antibody (SN07-16) NBP2-67680

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



#### **Publications: 2**

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-67680

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-67680



#### NBP2-67680


CYBB/NOX2 Antibody (SN07-16)

	,
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	SN07-16
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	1536
Gene Symbol	СҮВВ
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within Human CYBB/NOX2 aa 131-180 / 570. (SwissProt: P04839 Human; SwissProt: Q61093 Mouse; Entrez Gene:66021 Rat)
<b>Product Application Deta</b>	ils
A 12 /2	

Applications	Western Blot
<b>Recommended Dilutions</b>	Western Blot 1:2,000

#### Images

Western Blot: CYBB/NOX2 Antibody (SN07-16) [NBP2-67680] Analysis of NOX2/gp91phox on different lysates with Rabbit anti-NOX2/gp91phox antibody at 1/2,000 dilution. Lane 1: HepG2 cell lysate (15 ug/Lane) Lane 2: MCF7 cell lysate (15 ug/Lane) Lane 3: Mouse brain tissue lysate (20 ug/Lane) Lane 4: Mouse spleen tissue lysate (20 ug/Lane) Lane 5: Rat brain tissue lysate (20 ug/Lane) Lane 6: Rat spleen tissue lysate (20 ug/Lane) Predicted band size: 65 kDa Observed band size: 55 kDa Exposure time: 3 minutes; 4-20% SDS-PAGE gel. Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody at 1/2,000 dilution was used in 5% NFDM/TBST at 4 overnight. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.



#### **Publications**

Velatooru LR, Abe RJ, Imanishi M Et al. Disturbed flow-induced FAK K152 SUMOylation initiates the formation of proinflammation positive feedback loop by inducing reactive oxygen species production in endothelial cells Free radical biology & medicine 2021-10-04 [PMID: 34619327]

Zhao G, Chang Z, Zhao Y, et al. KLF11 protects against abdominal aortic aneurysm through inhibition of endothelial cell dysfunction JCI insight 2021-01-28 [PMID: 33507881] (WB, Human)

www.novusbio.com





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-67680

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00001536-Q01-10ug	Recombinant Human CYBB/NOX2 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-67680

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

