Product Datasheet

AlphaB Crystallin/CRYAB Antibody (OTI6A9) - Azide and BSA Free NBP2-70454

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-70454

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-70454


NBP2-70454

AlphaB Crystallin/CRYAB Antibody (OTI6A9) - Azide and BSA Free

100 ug	
LYOPH mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Monoclonal	
OTI6A9	
No Preservative	
we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process.	
IgG1	
Immunogen affinity purified	
Lyophilized from PBS (pH 7.3) with 8% Trehalose	
20 kDa	
Product Description	
Mouse	
1410	
CRYAB	
Human, Mouse, Rat	
Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.	
Full length human recombinant protein of human CRYAB (NP_001876) produced in HEK293T cell.	
Product Application Details	
Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, CyTOF-ready	
Western Blot 1:500, Flow Cytometry 1:100, Immunohistochemistry 1:50, Immunocytochemistry/ Immunofluorescence 1:50-100, Immunoprecipitation 2ug/500ul, Immunohistochemistry-Paraffin, CyTOF-ready	




Western Blot: AlphaB Crystallin/CRYAB Antibody (OTI6A9) - Azide and BSA Free [NBP2-70454] - Western blot analysis of extracts (35ug) from 9 different cell lines by using AlphaB Crystallin/CRYAB Antibody (OTI6A9). (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human).





Immunocytochemistry/Immunofluorescence: AlphaB Crystallin/CRYAB Antibody (OTI6A9) - Azide and BSA Free [NBP2-70454] -Immunofluorescent staining of HT29 cells using AlphaB Crystallin/CRYAB Antibody (OTI6A9) (NBP2-70454).


Immunohistochemistry-Paraffin: AlphaB Crystallin/CRYAB Antibody (OTI6A9) - Azide and BSA Free [NBP2-70454] - Immunohistochemical staining of paraffin-embedded Human endometrium tissue within the normal limits using AlphaB Crystallin/CRYAB Antibody (OTI6A9). (Heatinduced epitope retrieval by 10mM citric buffer, pH6.0, 100 degrees C for 10min, 0454)

Flow Cytometry: AlphaB Crystallin/CRYAB Antibody (OTI6A9) - Azide and BSA Free [NBP2-70454] - HEK293T cells transfected with either RC202718 overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by AlphaB Crystallin/CRYAB Antibody (OTI6A9) (NBP2-70454), and then analyzed by flow cytometry.











Immunocytochemistry/Immunofluorescence: AlphaB Crystallin/CRYAB Antibody (OTI6A9) - Azide and BSA Free [NBP2-70454] - AlphaB Crystallin/CRYAB Antibody (OTI6A9) (NBP2-70454) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY CRYAB.

Immunohistochemistry-Paraffin: AlphaB Crystallin/CRYAB Antibody (OTI6A9) - Azide and BSA Free [NBP2-70454] - Immunohistochemical staining of paraffin-embedded Human pancreas tissue within the normal limits using AlphaB Crystallin/CRYAB Antibody (OTI6A9). (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100 degrees C for 10min, NBP2-70454)

Immunoprecipitation: AlphaB Crystallin/CRYAB Antibody (OTI6A9) -Azide and BSA Free [NBP2-70454] - Immunoprecipitation (IP) of CRYAB by using a monoclonal anti-CRYAB antibodies (Negative control: IP without adding anti-CRYAB antibody.). For each experiment, 500ul of DDK tagged CRYAB overexpression lysates (at 1:5 dilution with HEK293T lysate), 2ug of anti-CRYAB antibody and 20ul (0.1mg) of goat anti-mouse conjugated magnetic beads were mixed and incubated overnight. After extensive wash to remove any non-specific binding, the immuno-precipitated products were analyzed with rabbit anti-DDK polyclonal antibody.









Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-70454

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NB100-2519PEP	AlphaB Crystallin/CRYAB Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-70454

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

