Product Datasheet

HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free NBP2-70895

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-70895

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-70895




NBP2-70895

HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free

,	
Product Information	
Unit Size	100 ug
Concentration	LYOPH mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI1C2
Preservative	No Preservative
Reconstitution Instructions	we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process.
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	Lyophilized from PBS (pH 7.3) with 8% Trehalose
Target Molecular Weight	35.9 kDa
Product Description	
Host	Mouse
Gene ID	3163
Gene Symbol	HMOX2
Species	Human, Mouse, Rat
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Immunogen	Full length human recombinant protein of human HMOX2(NP_002125) produced in HEK293T cell.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunohistochemistry, CyTOF-ready
Recommended Dilutions	Western Blot 1:500, Flow Cytometry 1:100, Immunohistochemistry 1:150, CyTOF-ready

Images

Western Blot: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY Heme oxygenase 2 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-Heme




www.novusbio.com



Page 2 of 5 v.20.1 Updated 10/23/2024

Immunohistochemistry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - Staining of paraffin-embedded Human pancreas tissue using anti-Heme oxygenase 2 mouse monoclonal antibody.



Flow Cytometry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostaining by anti-Heme oxygenase 2 antibody, and then analyzed by flow cytometry.

Immunohistochemistry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - Staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-Heme oxygenase 2 mouse monoclonal antibody.

Immunohistochemistry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - Staining of paraffin-embedded Carcinoma of Human lung tissue using anti-Heme oxygenase 2 mouse monoclonal antibody.

www.novusbio.com





Immunohistochemistry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - Staining of paraffin-embedded Carcinoma of Human pancreas tissue using anti-Heme oxygenase 2 mouse monoclonal antibody.

Immunohistochemistry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - Staining of paraffin-embedded Carcinoma of Human thyroid tissue using anti-Heme oxygenase 2 mouse monoclonal antibody.

Immunohistochemistry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - Staining of paraffin-embedded Human breast tissue using anti-Heme oxygenase 2 mouse monoclonal antibody.

Immunohistochemistry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - Staining of paraffin-embedded Human endometrium tissue using anti-Heme oxygenase 2 mouse monoclonal antibody.








Immunohistochemistry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - Staining of paraffin-embedded Human Kidney tissue using anti-Heme oxygenase 2 mouse monoclonal antibody.

Immunohistochemistry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - Staining of paraffin-embedded Human lymphoma tissue using anti-Heme oxygenase 2 mouse monoclonal antibody.

Immunohistochemistry: HO-2/HMOX2 Antibody (OTI1C2) - Azide and BSA Free [NBP2-70895] - Staining of paraffin-embedded Human tonsil using anti-Heme oxygenase 2 mouse monoclonal antibody.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-70895

NBP1-37089	Recombinant Human HO-2/HMOX2 Protein
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-70895

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

