Product Datasheet

ACD Antibody (OTI1A2) - Azide and BSA Free NBP2-72170

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-72170

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-72170




NBP2-72170

ACD Antibody (OTI1A2) - Azide and BSA Free


and BSA Free		
100 ug		
LYOPH mg/ml		
Store at -20C. Avoid freeze-thaw cycles.		
Monoclonal		
OTI1A2		
No Preservative		
we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process.		
IgG1		
Immunogen affinity purified		
Lyophilized from PBS (pH 7.3) with 8% Trehalose		
57.6 kDa		
Novus Biologicals Mouse ACD Antibody (OTI1A2) - Azide and BSA Free (NBP2-01851) is a monoclonal antibody validated for use in WB, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.		
Mouse		
65057		
ACD		
Human		
Full length human recombinant protein of human ACD(NP_001075955) produced in HEK293T cell.		
Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, CyTOF-ready		
CyTOr-leady		

Images


Western Blot: ACD Antibody (OTI1A2) - Azide and BSA Free [NBP2-72170] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ACD (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ACD.



Immunocytochemistry/Immunofluorescence: ACD Antibody (OTI1A2) - Azide and BSA Free [NBP2-72170] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY ACD.



Flow Cytometry: ACD Antibody (OTI1A2) - Azide and BSA Free [NBP2-72170] - HEK293T cells transfected with either overexpression plasmid (Red) or empty vector control plasmid (Blue) were immunostaining by anti-ACD antibody, and then analyzed by flow cytometry.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-72170

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

H00065057-P01-10ug Recombinant Human ACD GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-72170

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

