Product Datasheet

N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] NBP2-72891APCCY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-72891APCCY7

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-72891APCCY7



NBP2-72891APCCY7

N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7]

Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone OT12G7 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Allophycocyanin/Cy7 Purity Immunogen affinity purified Buffer PBS Target Molecular Weight 97.2 kDa Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OT12G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178) produced in HEK293T cells. Product Application Details Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	N-Caurierin Antibody (O11267) [Allophycocyanin/Cy7]	
Concentration Please see the vial label for concentration. If unlisted please contact techn services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone OTI2G7 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Allophycocyanin/Cy7 Purity Immunogen affinity purified Buffer PBS Target Molecular Weight 97.2 kDa Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrae or decoupling, When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Product Information	
Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone OTI2G7 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Allophycocyanin/Cy7 Purity Immunogen affinity purified Buffer PBS Target Molecular Weight 97.2 kDa Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178) produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Application Notes Optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Unit Size	0.1 ml
Clonality Monoclonal Clone OTI2G7 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Allophycocyanin/Cy7 Purity Immunogen affinity purified Buffer PBS Target Molecular Weight 97.2 kDa Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrac or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical denovusbio.com if you have any	Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Clone OTI2G7 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Allophycocyanin/Cy7 Purity Immunogen affinity purified Buffer PBS Target Molecular Weight 97.2 kDa Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Vestern Blot, Flow Cytometry, Immunohistochemistry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrace or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical @novusbio.com if you have any	Storage	Store at 4C in the dark. Do not freeze.
Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate Allophycocyanin/Cy7 Purity Immunogen affinity purified Buffer PBS Target Molecular Weight 97.2 kDa Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrace or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Clonality	Monoclonal
Isotype IgG2a Conjugate Allophycocyanin/Cy7 Purity Immunogen affinity purified Buffer PBS Target Molecular Weight 97.2 kDa Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OT12G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00176 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Clone	OTI2G7
Conjugate Allophycocyanin/Cy7 Purity Immunogen affinity purified Buffer PBS Target Molecular Weight 97.2 kDa Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrace or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Preservative	0.05% Sodium Azide
Purity Immunogen affinity purified Buffer PBS Target Molecular Weight 97.2 kDa Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Isotype	IgG2a
Buffer PBS Target Molecular Weight 97.2 kDa Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Conjugate	Allophycocyanin/Cy7
Target Molecular Weight Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was develope against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Purity	Immunogen affinity purified
Product Description Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Buffer	PBS
Host Mouse Gene ID 1000 Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Target Molecular Weight	97.2 kDa
Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Product Description	
Gene Symbol CDH2 Species Human, Mouse, Rat, Canine, Monkey, Primate This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Host	Mouse
Species Human, Mouse, Rat, Canine, Monkey, Primate This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Gene ID	1000
Immunogen This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Western Blot, Flow Cytometry, Immunohistochemistry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Gene Symbol	CDH2
against a full length recombinant protein of human N-Cadherin (NP_00178 produced in HEK293T cells. Product Application Details Applications Western Blot, Flow Cytometry, Immunohistochemistry Western Blot, Flow Cytometry, Immunohistochemistry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Species	Human, Mouse, Rat, Canine, Monkey, Primate
Applications Western Blot, Flow Cytometry, Immunohistochemistry Western Blot, Flow Cytometry, Immunohistochemistry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrader or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please of our technical support team at technical@novusbio.com if you have any	Immunogen	This N-Cadherin Antibody (OTI2G7) [Allophycocyanin/Cy7] was developed against a full length recombinant protein of human N-Cadherin (NP_001783) produced in HEK293T cells.
Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrader or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please of our technical support team at technical@novusbio.com if you have any	Product Application Details	
Application Notes Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degrad or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Applications	Western Blot, Flow Cytometry, Immunohistochemistry
optimal results using our Tandem dyes, please avoid prolonged exposure or extreme temperature fluctuations. These can lead to irreversible degraded or decoupling. When staining intracellular targets, specific attention to the and permeabilization steps in your flow protocol may be required. Please our technical support team at technical@novusbio.com if you have any	Recommended Dilutions	Western Blot, Flow Cytometry, Immunohistochemistry
quosione.	Application Notes	Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any questions.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-72891APCCY7

NBP2-59927-50ug Recombinant Human N-Cadherin His Protein

DMP900 MMP-9 [HRP]

1388-NC-050 N-Cadherin [Unconjugated]

AF748 E-Cadherin Antibody [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-72891APCCY7

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

