Product Datasheet

SATB1 Antibody (OTI13D6) - Azide and BSA Free NBP2-73991

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-73991

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-73991




SATB1 Antibody (OTI13D6) - Azide and BSA Free	
100 ug	
LYOPH mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Monoclonal	
OTI13D6	
No Preservative	
we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process.	
IgG1	
Immunogen affinity purified	
Lyophilized from PBS (pH 7.3) with 8% Trehalose	
86 kDa	
Product Description	
Novus Biologicals Mouse SATB1 Antibody (OTI13D6) - Azide and BSA Free (NBP1-47950) is a monoclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Mouse	
6304	
SATB1	
Human, Mouse, Rat	
Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.	
Full-length protein expressed in 293T cell transfected with human SATB1 expression vector	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry	
Western Blot 1:2000, Immunohistochemistry 1:50, Immunocytochemistry/ Immunofluorescence 1:100, Immunohistochemistry-Paraffin	




Images

Western Blot: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SATB1 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SATB1.




Immunocytochemistry/Immunofluorescence: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY SATB1.




Immunohistochemistry: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - Staining of paraffin-embedded Carcinoma of pancreas tissue using anti-SATB1 mouse monoclonal antibody.




Western Blot: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - Analysis of extracts (35ug) from 9 different cell lines by using anti-SATB1 monoclonal antibody.




Immunohistochemistry: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - Staining of paraffin-embedded Adenocarcinoma of breast tissue using anti-SATB1 mouse monoclonal antibody.




Immunohistochemistry: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - Staining of paraffin-embedded Adenocarcinoma of colon tissue using anti-SATB1 mouse monoclonal antibody.




Immunohistochemistry: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - Staining of paraffin-embedded Adenocarcinoma of ovary tissue using anti-SATB1 mouse monoclonal antibody.




Immunohistochemistry: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - Staining of paraffin-embedded Carcinoma of bladder tissue using anti-SATB1 mouse monoclonal antibody.




Immunohistochemistry: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - Staining of paraffin-embedded Carcinoma of kidney tissue using anti-SATB1 mouse monoclonal antibody.



Immunohistochemistry: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - Staining of paraffin-embedded Carcinoma of lung tissue using anti-SATB1 mouse monoclonal antibody.



Immunohistochemistry: SATB1 Antibody (OTI13D6) - Azide and BSA Free [NBP2-73991] - Staining of paraffin-embedded Carcinoma of thyroid tissue using anti-SATB1 mouse monoclonal antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-73991

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)
NBP3-17001PEP SATB1 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-73991

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

