

Product Datasheet

SSX2 Antibody (OTI4D10) - Azide and BSA Free NBP2-74368

Unit Size: 100 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-74368

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-74368



NBP2-74368

SSX2 Antibody (OTI4D10) - Azide and BSA Free


Product Information	
Unit Size	100 ug
Concentration	LYOPH mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	OTI4D10
Preservative	No Preservative
Reconstitution Instructions	we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process.
Isotype	IgG1
Purity	Immunogen affinity purified
Buffer	Lyophilized from PBS (pH 7.3) with 8% Trehalose
Target Molecular Weight	21.6 kDa

Product Description	
Description	Novus Biologicals Mouse SSX2 Antibody (OTI4D10) - Azide and BSA Free (NBP1-48008) is a monoclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	6757
Gene Symbol	SSX2
Species	Human
Immunogen	Full-length protein expressed in 293T cell transfected with human SSX2 expression vector


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:2000, Immunohistochemistry 1:50, Immunocytochemistry/Immunofluorescence 1:100, Immunohistochemistry-Paraffin

Images


Western Blot: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY SSX2 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SSX2.




Immunocytochemistry/Immunofluorescence: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - Staining of COS7 cells transiently transfected by pCMV6-ENTRY SSX2.




Immunohistochemistry: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - Staining of paraffin-embedded pancreas tissue using anti-SSX2 mouse monoclonal antibody.




Immunohistochemistry: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - Staining of paraffin-embedded Adenocarcinoma of breast tissue using anti-SSX2 mouse monoclonal antibody.




Immunohistochemistry: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - Staining of paraffin-embedded Adenocarcinoma of colon tissue using anti-SSX2 mouse monoclonal antibody.




Immunohistochemistry: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - Staining of paraffin-embedded Carcinoma of bladder tissue using anti-SSX2 mouse monoclonal antibody.




Immunohistochemistry: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - Staining of paraffin-embedded Carcinoma of thyroid tissue using anti-SSX2 mouse monoclonal antibody.




Immunohistochemistry: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - Staining of paraffin-embedded colon tissue using anti-SSX2 mouse monoclonal antibody.




Immunohistochemistry: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - Staining of paraffin-embedded endometrium tissue using anti-SSX2 mouse monoclonal antibody.



Immunohistochemistry: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - Staining of paraffin-embedded Ovary tissue using anti-SSX2 mouse monoclonal antibody.



Immunohistochemistry: SSX2 Antibody (OTI4D10) - Azide and BSA Free [NBP2-74368] - SSX2 Antibody (4D10) [NBP1-48008]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-74368

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP2-51739-0.02mg	Recombinant Human SSX2 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-74368

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

