Product Datasheet

STAT1 Antibody (OTI4H9) [CoraFluor™ 1] NBP2-74375CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-74375CL1

Updated 10/22/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-74375CL1



NBP2-74375CL1

STAT1 Antibody (OTI4H9) [CoraFluor™ 1]

Unit Size 0.1 ml Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone OTI4H9 Preservative No Preservative Isotype IgG1 Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 aborbs UV light at approximately 340 nm, and emits at approximately 400 nm, 545 nm, 585 nm and 620 nm. It is compauble with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. House Mouse Gene ID 6772 Gene Symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse: On-Mouse blocking reagent may be needed for IHC a		-
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone OTI4H9 Preservative No Preservative Isotype IgG1 Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonce Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 356 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET foing assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene Symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse- On-Mouse blocking reagent may be needed for HIC and ICC experiments to reduce high background Signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support	Product Information	
services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone OT14H9 Preservative No Preservative Isotype IgG1 Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 440 nm, 545 nm, 585 nm and 620 nm. It's compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET forming assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene Bymbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Piease note that this antibody is reactive to Mouse and derived from the same host, Mouse- Mouse-On-Mouse blocking reagent may be needed for HC and LCC experiments to reduce high background Signal. You can, find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Immunogen Full length human recombinant protein of human STAT1 (NP_00933	Unit Size	0.1 ml
Clonality Monoclonal Clone OTI4H9 Preservative No Preservative Isotype IgG1 Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm, 1 is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable Tr-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 6772 Gene Symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse-Con-Mouse blocking regent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Immunogen Full length human recombinant protein of human STAT1 (NP_009330) produced in HEX233T cell. Notes <	Concentration	•
Clone OTI4H9 Preservative No Preservative Isotype IgG1 Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description Description Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm, 1 is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 6772 Gene Symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-Don-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have an questions. Immunogen Ful length human recombinant protein of human STAT1 (NP_009330) produced in HEX233T cell. Notes	Storage	Store at 4C in the dark. Do not freeze.
Preservative No Preservative Isotype IgG1 Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 565 nm and 620 nm. It is compatible with common acceptor dyes that absorb absorbs UV light at approximately 340 nm, and emits at approximately 340 nm, 545 nm, 565 nm and 620 nm. It is compatible with common acceptor dyes that absorb absorbs UV light at approximately 340 nm, and emits at paper binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 6772 Gene Symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Immunogen Full length human recombinant protein of human STAT1 (NP_009330) produced in HEK293T cell. Note	Clonality	Monoclonal
Isotype IgG1 Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 565 nm, 656 nm and 620 nm. It is compatible with commo acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, temary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 6772 Gene Symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and fort met seragengement. Uncertain and ICC experiments to reduce high background signal. You can find these reagents: under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Immunogen Full length human recombinant protein of human STAT1 (NP_009330) produced in HEX233T cell. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 202/0025254 Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohi	Clone	OTI4H9
Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, a65 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 6772 Gene Symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Immunogen Full length human recombinant protein of human STAT1 (NP_009330) produced in HEK293T cell. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/00/25/254 Product Application Details Western Blot, Immunocytochemistry/ Immunofl	Preservative	No Preservative
Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1. can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 6772 Gene Symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Immunogen Full length human recombinant protein of human STAT1 (NP_009330) produced in HEX293T cell. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Im	Isotype	lgG1
Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1. can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 6772 Gene Symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Immunogen Full length human recombinant protein of human STAT1 (NP_009330) produced in HEK293T cell. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohytochemistry Recommended Dilutions	Conjugate	CoraFluor 1
Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1. can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, tennary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 6772 Gene symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Immunogen Full length human recombinant protein of human STAT1 (NP_009330) produced in HEX293T cell. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot, Immunobistochemistry, Immunocytochemistry/ Immunofluorescence	Purity	Immunogen affinity purified
Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Mouse Gene ID 6772 Gene Symbol STAT1 Species Human, Mouse, Rat, Canine, Primate, Monkey Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions. Immunogen Full length human recombinant protein of human STAT1 (NP_009330) produced in HEX293T cell. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot, Immunotistochemistry, Immunocytochemistry/ Imm	Buffer	PBS
Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs 2V light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.HostMouseGene ID6772Gene SymbolSTAT1SpeciesHuman, Mouse, Rat, Canine, Primate, MonkeyReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.ImmunogenFull length human recombinant protein of human STAT1 (NP_009330) produced in HEX293T cell.NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2020/0025254Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry.Recommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence	Product Description	
Gene ID6772Gene SymbolSTAT1SpeciesHuman, Mouse, Rat, Canine, Primate, MonkeyReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.ImmunogenFull length human recombinant protein of human STAT1 (NP_009330) produced in HEK293T cell.NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, ImmunohistochemistryRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence	Description	Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and
Gene SymbolSTAT1SpeciesHuman, Mouse, Rat, Canine, Primate, MonkeyReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.ImmunogenFull length human recombinant protein of human STAT1 (NP_009330) produced in HEK293T cell.NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, ImmunohistochemistryRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence	Host	Mouse
SpeciesHuman, Mouse, Rat, Canine, Primate, MonkeyReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.ImmunogenFull length human recombinant protein of human STAT1 (NP_009330) produced in HEK293T cell.NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, ImmunohistochemistryRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence	Gene ID	6772
Reactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.ImmunogenFull length human recombinant protein of human STAT1 (NP_009330) produced in HEK293T cell.NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, ImmunohistochemistryRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence	Gene Symbol	STAT1
host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.ImmunogenFull length human recombinant protein of human STAT1 (NP_009330) produced in HEK293T cell.NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, ImmunohistochemistryRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence	Species	Human, Mouse, Rat, Canine, Primate, Monkey
in HEK293T cell.NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, ImmunohistochemistryRecommended DilutionsWestern Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence	Reactivity Notes	host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical
only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence	Immunogen	
Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence	Notes	only under agreement from Massachusetts General Hospital. US patent
Immunohistochemistry Recommended Dilutions Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence	Product Application Details	
Immunofluorescence	Applications	
Application NotesOptimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	
	Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-74375CL1

NB100-56314PEP	STAT1 Antibody Blocking Peptide
210-TA-005	TNF-alpha [Unconjugated]
NBL1-16524	STAT1 Overexpression Lysate
M6000B-1	IL-6 [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-74375CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

