Product Datasheet

TDO2 Antibody (OTI2A4) [Janelia Fluor® 585] NBP2-74486JF585

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-74486JF585

Updated 12/12/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-74486JF585



NBP2-74486JF585

TDO2 Antibody (OTI2A4) [Janelia Fluor® 585]

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneOTI2A4Preservative0.05% Sodium AzideIsotypeIgG1ConjugateJanelia Fluor 585PurityImmunogen affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostHostMouseGene ID6999Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB. and MP-2400-NB. Please contact Technical
services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneOTI2A4Preservative0.05% Sodium AzideIsotypeIgG1ConjugateJanelia Fluor 585PurityImmunogen affinity purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID6999Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
ClonalityMonoclonalCloneOTI2A4Preservative0.05% Sodium AzideIsotypeIgG1ConjugateJanelia Fluor 585PurityImmunogen affinity purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID6999Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
CloneOTI2A4Preservative0.05% Sodium AzideIsotypeIgG1IsotypeJanelia Fluor 585PurityImmunogen affinity purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID6999Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
Preservative0.05% Sodium AzideIsotypeIgG1IsotypeIgG1ConjugateJanelia Fluor 585PurityImmunogen affinity purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID6999Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
IsotypeIgG1ConjugateJanelia Fluor 585PurityImmunogen affinity purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID6999Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
ConjugateJanelia Fluor 585PurityImmunogen affinity purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID6999Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
PurityImmunogen affinity purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID6999Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
Buffer 50mM Sodium Borate Product Description Mouse Host Mouse Gene ID 6999 Gene Symbol TDO2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
Product Description Host Mouse Gene ID 6999 Gene Symbol TDO2 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
HostMouseGene ID6999Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
Gene ID6999Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
Gene SymbolTDO2SpeciesHuman, Mouse, RatReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
Reactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents
Support if you have any questions.
ImmunogenFull length human recombinant protein of human TDO2(NP_005642) produced in HEK293T cell.
Notes Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus.
Product Application Details
Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Application NotesOptimal dilution of this antibody should be experimentally determined.

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-74486JF585

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

