Product Datasheet

IFITM3/Fragilis Antibody (JU73-02) NBP2-75533

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-75533

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-75533




NBP2-75533


IFITM3/Fragilis Antibody (JU73-02)

IFITM3/Fragilis Antibody (JU7	′ 3-02)
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JU73-02
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	TBS (pH7.4), 0.05% BSA, 40% Glycerol
Target Molecular Weight	15 kDa
Product Description	
Host	Rabbit
Gene ID	10410
Gene Symbol	IFITM3
Species	Human
Immunogen	Synthetic peptide within Human IFITM3/Fragilis aa 1-50 / 133. (SwissProt: Q01628 Human)
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:1000-1:5000, Flow Cytometry 1:50-1:100, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunohistochemistry-Paraffin 1:50-1:100
Images	
	s Antibody (JU73-02) [NBP2-75533] - 1 2 kDa M3/Fragilis on different lysates. Proteins


Western Blot: IFITM3/Fragilis Antibody (JU73-02) [NBP2-75533] - Western blot analysis of IFITM3/Fragilis on different lysates. Proteins were transferred to a PVDF membrane and blocked with 5% BSA in PBS for 1 hour at room temperature. The primary antibody (1/500) was used in 5% BSA at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody (HA1001) at 1:5,000 dilution was used for 1 hour at room temperature. Positive control: Lane 1: Hela cell lysate Lane 2: HepG2 cell lysate




Immunocytochemistry/Immunofluorescence: IFITM3/Fragilis Antibody (JU73-02) [NBP2-75533] - Staining Fragilis in MCF-7 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.




Immunohistochemistry-Paraffin: IFITM3/Fragilis Antibody (JU73-02) [NBP2-75533] - Analysis of paraffin-embedded human colon cancer tissue using anti-Fragilis antibody. Counter stained with hematoxylin.




Flow Cytometry: IFITM3/Fragilis Antibody (JU73-02) [NBP2-75533] - Analysis of MCF-7 cells with Fragilis antibody at 1/100 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody.




Immunocytochemistry/Immunofluorescence: IFITM3/Fragilis Antibody (JU73-02) [NBP2-75533] - Staining Fragilis in HUVEC cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Immunocytochemistry/Immunofluorescence: IFITM3/Fragilis Antibody (JU73-02) [NBP2-75533] - Staining Fragilis in PC-3M cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Immunohistochemistry-Paraffin: IFITM3/Fragilis Antibody (JU73-02) [NBP2-75533] - Analysis of paraffin-embedded human liver cancer tissue using anti-Fragilis antibody. Counter stained with hematoxylin.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-75533

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00010410-P01-10ug Recombinant Human IFITM3/Fragilis GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-75533

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

