

Product Datasheet

UCH-L1/PGP9.5 Antibody (rUCHL1/775) NBP2-75773-100ug

Unit Size: 100 ug

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-75773

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-75773



NBP2-75773-100ug


UCH-L1/PGP9.5 Antibody (rUCHL1/775)

| Product Information | |
|-----------------------------|---|
| Unit Size | 100 ug |
| Concentration | 0.2 mg/ml |
| Storage | Store at 4C. |
| Clonality | Monoclonal |
| Clone | rUCHL1/775 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG1 Kappa |
| Purity | Protein A or G purified |
| Buffer | 10 mM PBS with 0.05% BSA |
| Product Description | |
| Description | 200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP2-75775) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. |
| Host | Mouse |
| Gene ID | 7345 |
| Gene Symbol | UCHL1 |
| Species | Human, Rat, Canine |
| Reactivity Notes | Shows broad species reactivity. |
| Marker | pan-Neuronal Marker |
| Immunogen | Recombinant full-length human UCH-L1/PGP9.5 protein (Uniprot: P09936) |
| Product Application Details | |
| Applications | Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Protein Array |
| Recommended Dilutions | Western Blot 1-2 ug/ml, Flow Cytometry 1-2 ug/million cells, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml, Protein Array |
| Application Notes | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined. |




Images

Western Blot: UCH-L1/PGP9.5 Antibody (rUCHL1/775) [NBP2-75773] - Western Blot Analysis of human brain tissue lysate using UCH-L1/PGP9.5 Antibody (rUCHL1/775)




Immunocytochemistry/Immunofluorescence: UCH-L1/PGP9.5 Antibody (rUCHL1/775) [NBP2-75773] - Immunofluorescence Analysis of T98G cells labeling Pgp9.5 with UCH-L1/PGP9.5 Antibody (rUCHL1/775) followed by Goat anti-Mouse IgG-CF488 (Green). The nuclear counterstain is Nucspot (Red).




Immunohistochemistry-Paraffin: UCH-L1/PGP9.5 Antibody (rUCHL1/775) [NBP2-75773] - Formalin-fixed, paraffin-embedded Human Pancreas stained with Pgp9.5 Mouse Recombinant Monoclonal Antibody (rUCHL1/775).




Flow Cytometry: UCH-L1/PGP9.5 Antibody (rUCHL1/775) [NBP2-75773] - Flow Cytometric Analysis of T98G cells using UCH-L1/PGP9.5 Antibody (rUCHL1/775) followed by Goat anti-Mouse IgG-CF488 (Blue); Isotype Control (Red).




Western Blot: UCH-L1/PGP9.5 Antibody (rUCHL1/775) [NBP2-75773] - Analysis of Human Brain tissue lysate using Pgp9.5 Mouse Recombinant Monoclonal Antibody (rUCHL1/775).



Immunohistochemistry-Paraffin: UCH-L1/PGP9.5 Antibody (rUCHL1/775) [NBP2-75773] - Formalin-fixed, paraffin-embedded Human Brain stained with Pgp9.5 Mouse Recombinant Monoclonal Antibody (rUCHL1/775).



Protein Array: UCH-L1/PGP9.5 Antibody (rUCHL1/775) [NBP2-75773] - Analysis of Protein Array containing >19,000 full-length human proteins using UCH-L1/PGP9.5 Antibody (rUCHL1/775) Z- and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProt (TM) array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProt(TM) are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to specific to its intended target, if the MAb has an S-score of at least 2.5.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-75773-100ug

| | |
|------------------|---|
| HAF007 | Goat anti-Mouse IgG Secondary Antibody [HRP] |
| NB720-B | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| NBP1-43319-0.5mg | Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) |
| NB300-676PEP | UCH-L1/PGP9.5 Antibody Blocking Peptide |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-75773

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

