# **Product Datasheet**

# Cytokeratin, pan Antibody (PAN-CK (Cocktail)) [mFluor Violet 610 SE] NBP2-76425MFV610

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-76425MFV610

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications



## NBP2-76425MFV610

Cytokeratin, pan Antibody (PAN-CK (Cocktail)) [mFluor Violet 610 SE]

| 0.1 ml  |  |
|---|--|
| Please see the vial label for concentration. If unlisted please contact technical services.   |  |
| Store at 4C in the dark.  |  |
| Monoclonal  |  |
| PAN-CK (Cocktail)   |  |
| 0.05% Sodium Azide  |  |
| IgG Kappa   |  |
| mFluor Violet 610 SE  |  |
| Protein A or G purified   |  |
| 50mM Sodium Borate  |  |
|   |  |
| Mouse   |  |
| 3848  |  |
| KRT1  |  |
| Human, Mouse, Rat, Bovine, Canine, Chicken, Feline, Monkey, Rabbit  |  |
| Use in Mouse reported in scientific literature (PMID:34289354)  |  |
| Epithelial Marker   |  |
| Twenty human keratins are resolved with two-dimensional gel electrophoresis<br>into acidic (pl 6.0) subfamilies. This antibody cocktail recognizes acidic (Type I or<br>LMW) and basic (Type II or HMW) cytokeratins, with 67kDa (CK1); 64kDa (CK3);<br>59kDa (CK4); 58kDa (CK5); 56kDa (CK6); 55kDa (CK7); 52kDa (CK8); 56.5kDa<br>(CK10); 53kDa (CK13); 50kDa (CK14); 50kDa (CK15); 48kDa (CK16); 46kDa<br>(CK17); 45kDa (CK18) and 40kDa (CK19). Many studies have shown the<br>usefulness of keratins as markers in cancer research and tumor diagnosis. KRT-<br>PAN is a broad-spectrum anti pan-cytokeratin antibody cocktail, which<br>differentiates epithelial tumors from non-epithelial tumors e.g. squamous vs.<br>adenocarcinoma of the lung, liver carcinoma, breast cancer, and esophageal<br>cancer. It is useful in characterizing the source of various neoplasms and to<br>study the distribution of cytokeratin containing cells in epithelia during normal<br>development and during the development of epithelial neoplasms. This antibody<br>stains cytokeratins present in normal and abnormal human tissues and shows<br>high sensitivity in the recognition of epithelial cells and carcinomas. |  |
| Human epidermal keratins  |  |
| mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.   |  |
|   |  |
| Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence,<br>Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-<br>Paraffin, CyTOF-ready, Immunofluorescence   |  |
| Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/<br>Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-<br>Frozen, Immunofluorescence, CyTOF-ready   |  |
|   |  |



| Application Notes | Ap | plic | ation | Notes |
|-------------------|----|------|-------|-------|
|-------------------|----|------|-------|-------|

#### Images

Cytokeratin, pan Antibody (PAN-CK (Cocktail)) [mFluor Violet 610 SE] [NBP2-76425MFV610] - Vial of mFluor Violet 610 conjugated antibody. mFluor Violet 610 is optimally excited at 421 nm by the Violet laser (405 nm) and has an emission maximum of 613 nm.

| r                            | mFluor™ \           | /iolet 610        |  |
|------------------------------|---------------------|-------------------|--|
|                              |                     |                   |  |
| I                            | LASER (nm)          | FILTER            |  |
| hFluor" Violet 610           | Violet (405)        | 605/30            |  |
| F                            | EXCITATION MAX (nm) | EMISSION MAX (nm) |  |
| CAUTION - Research List Only | 421                 | 613               |  |





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

### Products Related to NBP2-76425MFV610

| DNST0      | Endostatin [HRP]                                 |
|------------|--|
| MAB1455    | Albumin Antibody (188835) [Unconjugated] - Serum |
| NB100-687  | Cytokeratin 19 Antibody - BSA Free               |
| NBP2-16094 | Cytokeratin 8 Antibody - BSA Free                |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-76425MFV610

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

