Product Datasheet

Complement Factor H-related 4/CFHR4 Antibody NBP2-77378

Unit Size: 1 ml

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-77378

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-77378



NBP2-77378

Complement Factor H-related 4/CFHR4 Antibody

Product Information Unit Size 1 ml Concentration 0.1 mg/ml Storage Store at 4C. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Protein A purified Buffer 0.2 um filtered solution in PBS and 0.1% BSA Product Description Host Host Rabbit Gene ID 10877 Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Application Notes Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1.50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used as detection antibody.	Complement Factor H-related 4/CFHK4 Antibody	
Concentration 0.1 mg/ml Storage Store at 4C. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Protein A purified Buffer 0.2 um filtered solution in PBS and 0.1% BSA Product Description Host Rabbit Gene ID 10877 Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Application Notes Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Product Information	
Storage Store at 4C. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Protein A purified Buffer 0.2 um filtered solution in PBS and 0.1% BSA Product Description Host Rabbit Gene ID 10877 Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Application Notes Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Unit Size	1 ml
Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Protein A purified Buffer 0.2 um filtered solution in PBS and 0.1% BSA Product Description Host Rabbit Gene ID 10877 Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Application Notes Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Concentration	0.1 mg/ml
Preservative 0.02% Sodium Azide Isotype IgG Purity Protein A purified Buffer 0.2 um filtered solution in PBS and 0.1% BSA Product Description Host Rabbit Gene ID 10877 Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Application Notes Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Storage	Store at 4C.
Isotype IgG Purity Protein A purified Buffer 0.2 um filtered solution in PBS and 0.1% BSA Product Description Host Rabbit Gene ID 10877 Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Application Notes Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Clonality	Polyclonal
Purity Buffer 0.2 um filtered solution in PBS and 0.1% BSA Product Description Host Rabbit Gene ID 10877 Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Preservative	0.02% Sodium Azide
Buffer 0.2 um filtered solution in PBS and 0.1% BSA Product Description Host Rabbit Gene ID 10877 Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Application Notes Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Isotype	IgG
Product Description Host Rabbit Gene ID 10877 Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Application Notes Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Purity	Protein A purified
Host Rabbit Gene ID 10877 Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Application Notes Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Buffer	0.2 um filtered solution in PBS and 0.1% BSA
Gene Symbol CFHR4 Species Human Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Product Description	
Gene Symbol CFHR4 Species Human Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Host	Rabbit
Species Human Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Recommended Dilutions Western Blot, Immunoassay Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Gene ID	10877
Immunogen Recombinant FHR4 fragment SCR2-4. Product Application Details Applications Western Blot, Immunoassay Western Blot, Immunoassay Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Gene Symbol	CFHR4
Product Application Details Applications Western Blot, Immunoassay Western Blot, Immunoassay Dilutions Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Species	Human
Applications Recommended Dilutions Western Blot, Immunoassay Western Blot, Immunoassay Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Immunogen	Recombinant FHR4 fragment SCR2-4.
Recommended Dilutions Western Blot, Immunoassay Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Product Application Details	
Application Notes Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Applications	Western Blot, Immunoassay
users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used	Recommended Dilutions	Western Blot, Immunoassay
	Application Notes	users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. WB: A non-reduced and/or reduced sample treatment and SDS-Page was used. The band size is 86 kDa. IA: It can be used





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-77378

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

DY1707 C-Reactive Protein/CRP [Biotin]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-77378

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

