

Product Datasheet

Periostin/OSF-2 Antibody Pair [Biotin] NBP2-78864

Unit Size: 1 Set

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-78864

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-78864



NBP2-78864

Periostin/OSF-2 Antibody Pair [Biotin]

Product Information	
Unit Size	1 Set
Concentration	Concentration of individual antibodies may be found on the vial label. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Conjugate	Biotin

Product Description	
Description	Sandwich ELISA for the quantitative determination of Mouse Periostin/OSF-2
Gene ID	10631
Gene Symbol	POSTN
Species	Mouse
Specificity/Sensitivity	Detects mouse periostin. Does not detect human periostin.
Kit Components	1 vial standard protein (5 ug) (lyophilized) [STD], 1 vial coating antibody (120 ul) [COAT], 1 vial detection antibody (20 ul) [DET], 1 vial streptavidin-HRP (10 ug) (lyophilized) [STREP]
Standard Curve Range	31 - 2000 pg/ml
Sensitivity	20 pg/ml
Assay Type	Sandwich ELISA
Suitable Sample Type	Cell Culture Supernatant, Serum
Sample Volume	100 ul

Product Application Details	
Applications	Sandwich ELISA
Recommended Dilutions	Sandwich ELISA
Application Notes	<ol style="list-style-type: none"> 1. Dilute the desired amount of Coating Antibody (COAT) (1 mg/ml) (mouse monoclonal antibody) to 2 ug/ml in PBS without carrier protein and use it fresh. 2. Dilute the desired amount of Detection Antibody (DET) (1 mg/ml) (biotinylated mouse monoclonal antibody) to 0.1 ug/ml in ELISA Buffer and use it fresh. 3. Reconstitute the Streptavidin-HRP (STREP) with 100 ul ELISA Buffer. After reconstitution, prepare aliquots and store the reconstituted STREP at -20C. Avoid freeze/thaw cycles. Dilute the reconstituted Streptavidin-HRP to the working concentration by adding 10 ul in 10 ml of ELISA Buffer (1:1000). 4. Reconstitute the Standard Protein (STD) (recombinant mouse Periostin/OSF-2) with 100 ul ELISA Buffer to obtain a concentration of 50 ug/ml. After reconstitution, prepare aliquots and store the reconstituted standard at -20C. Avoid freeze/ thaw cycles. A standard curve using 2-fold serial dilutions in ELISA Buffer is recommended. Suggested standard points are 2000 pg/ml, 1000 pg/ml, 500 pg/ml, 250 pg/ml, 125 pg/ml, 62.5 pg/ml, 31.25 pg/ml and 0 pg/ml.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-78864

NBP1-82472PEP	Periostin/OSF-2 Recombinant Protein Antigen
210-TA-005	TNF-alpha [Unconjugated]
NBP1-30042	Periostin/OSF-2 Antibody - C-terminus - Azide and BSA Free
M6000B-1	IL-6 [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Antibody Pairs are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-78864

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

