# **Product Datasheet**

# FTO Antibody (FT62-6) - Azide and BSA Free NBP2-80050-100ug

Unit Size: 100 ug

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-80050

Updated 11/9/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-80050



## NBP2-80050-100ug

FTO Antibody (FT62-6) - Azide and BSA Free

FTO Antibody (FT62-6) - Azide and BSA Free	
Product Information	
Unit Size	100 ug
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	FT62-6
Preservative	No Preservative
Isotype	IgG1 Kappa
Purity	Protein G purified
Buffer	0.2 um-filtered solution in PBS, pH 7.4
Product Description	
Host	Mouse
Gene ID	79068
Gene Symbol	FTO
Species	Mouse
Specificity/Sensitivity	Recognizes mouse FTO. Weakly cross-reacts with human FTO. Does not cross-react with rat FTO.
Immunogen	Recombinant human FTO.
Product Application Details	
Applications	Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000 - 1:5000, ELISA 1:2000 - 1:5000, Immunohistochemistry 1:100 - 1:500, Immunoprecipitation 5 ug/mL, Immunohistochemistry-Paraffin 1:100 - 1:500
Application Notes	Immunoprecipitation: 5ug/ml per sample in a final reaction volume of 500-1000 ul.  Western Blot: 1:2000-1:5000 using ECL. Suggested blocking and dilution buffer is PBST containing 0.05% Tween 20 and 5% skim milk. Suggested incubation time is 1 hour at room temperature.


time is 1 hour at room temperature.

#### **Images**


Western Blot: FTO Antibody (FT62-6) [NBP2-80050] - Analysis using anti-FTO (mouse), mAb (FT62-6) at 1:2'000 dilution. A) 1: Mouse kideny (200 ug). 2: Mouse spleen (200 ug). 3: Mouse heart (200 ug). 4: Mouse liver (500 ug). 5: Mouse stomach (200 ug). 6: Mouse brain (300 ug). 7: Mouse lung (200 ug). B) 1: Mouse FTO (10 ng). 2: 3T3L1 (100 ug).



Immunohistochemistry-Paraffin: FTO Antibody (FT62-6) [NBP2-80050] - Immunohistochemical staining of mouse FTO using anti-FTO (mouse), mAb (FT62-6) in mouse tissue (1:500 dilution, 200X). A. Immunoperoxidase staining of formalin-Fixed, paraffin-embedded mouse brain. A-1. Isotype control, mouse brain. B. Immunoperoxidase staining of formalin-Fixed, paraffin-embedded mouse uterus. B-1. Isotype control, mouse uterus.



Immunoprecipitation: FTO Antibody (FT62-6) [NBP2-80050] - Immunoprecipitation confirmed by recombinant mouse FTO. Recombinant mouse FTO proteins at different concentrations were precipitated using anti-FTO (mouse), mAb (FT62-6). The precipitated proteins were separated by SDS-PAGE, electroblotted, and visualized by western blot with rabbit anti-mouse FTO pAb. 1. mFTO (His-tagged) recombinant control 50 ng. 2. mFTO (His-tagged) 10 ug. 3. mFTO (His-tagged) 5 ug. 4. mFTO (His-tagged) 2.5 ug. 5. mFTO (His-tagged) 1.25 ug. 6. mFTO (His-tagged) 0.312 ug. 7. mFTO (His-tagged) 0.156 ug.





#### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP2-80050-100ug

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NB110-60935PEP FTO Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80050

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

