## **Product Datasheet**

### CD20 Antibody (L26) [DyLight 650] NBP2-80486C

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-80486C

Updated 12/14/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-80486C



#### NBP2-80486C

CD20 Antibody (L26) [DyLight 650]

| Product Information         |  |
|-----------------------------|--|
| Unit Size                   | 0.1 ml   |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                     | Store at 4C in the dark.   |
| Clonality                   | Monoclonal   |
| Clone                       | L26  |
| Preservative                | 0.05% Sodium Azide   |
| Isotype                     | IgG2a  |
| Conjugate                   | DyLight 650  |
| Purity                      | Protein A or G purified  |
| Buffer                      | 50mM Sodium Borate   |
| Product Description         |  |
| Host                        | Mouse  |
| Gene ID                     | 931  |
| Gene Symbol                 | MS4A1  |
| Species                     | Human  |
| Reactivity Notes            | Others not known.  |
| Marker                      | B-Cell Marker  |
| Specificity/Sensitivity     | Recognizes a protein of 30-33kDa, which is identified as CD20. Its epitope is<br>located in the cytoplasmic domain of CD20 and was, therefore, ascribed as<br>CD20cy in the 5th Workshop. CD20 is a non-Ig differentiation antigen of B-cells<br>and its expression is restricted to normal and neoplastic B-cells, being absent<br>from all other leukocytes and tissues. CD20 is expressed by pre B-cells and<br>persists during all stages of B-cell maturation but is lost upon terminal<br>differentiation into plasma cells. This MAb can be used for immunophenotyping<br>of leukemia and malignant cells, B lymphocyte detection in peripheral blood and<br>B cell localization in tissues. It reacts with the majority of B-cells present in<br>peripheral blood and lymphoid tissues and their derived lymphomas. In lymphoid<br>tissue, germinal center blasts and B-immunoblasts are particularly reactive. It is<br>a reliable antibody for ascribing a B-cell phenotype in known lymphoid tissues.<br>Rarely, CD20-positive T-cell lymphomas have been reported. Reactivity has also<br>been noted with Reed-Sternberg cells in cases of Hodgkins disease, particularly<br>of lymphocyte predominant type. |
| Immunogen                   | Human tonsil B cells   |
| Notes                       | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.  |
| Product Application Details |  |
| Applications                | Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,<br>Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready  |
| Recommended Dilutions       | Western Blot 1 - 2 ug/ml, Flow Cytometry 0.5-1ug/million cells,<br>Immunohistochemistry 1-2 ug/ml, Immunocytochemistry/Immunofluorescence 1-<br>2 ug/ml, Immunohistochemistry-Paraffin 0.5-1 ug/ml, CyTOF-ready  |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.   |
|                             |  |





#### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-80486C

| H00000931-P01-2ug | Recombinant Human CD20 GST (N-Term) Protein |
|-------------------|---|
| 210-TA-005        | TNF-alpha [Unconjugated]                    |
| NBL1-13312        | CD20 Overexpression Lysate                  |
| NBP1-19371        | CD4 Antibody - BSA Free                     |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80486C

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com



www.novusbio.com



technical@novusbio.com