# **Product Datasheet**

# Calnexin Antibody (1C2.2D11) - Azide and BSA Free NBP2-80608

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-80608

Updated 8/17/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-80608



# NBP2-80608


Calnexin Antibody (1C2.2D11) - Azide and BSA Free

Cainexin Antibody (102.2D11) -	Azide and BSA Free
Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	1C2.2D11
Preservative	No Preservative
Isotype	IgG2b Kappa
Purity	Protein G purified
Buffer	PBS
<b>Product Description</b>	
Host	Mouse
Gene ID	821
Gene Symbol	CANX
Species	Human
Reactivity Notes	Immunogen's sequence similarity with other species: Mouse (88%), Duck (81%), Xenopus (76%)
Immunogen	Partial recombinant human Calnexin protein (between amino acids 1-300). [UniProt P27824]
<b>Product Application Details</b>	
Applications	Western Blot, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Immunohistochemistry-Paraffin, Immunocytochemistry


Applications	Immunohistochemistry, Immunohistochemistry-Paraffin, Immunocytochemistry
	Western Blot, Immunohistochemistry 7 ug/ml, Immunocytochemistry/ Immunofluorescence 10 ug/ml, Immunohistochemistry-Paraffin 7 ug/ml, Flow (Intracellular) 5 ug/million cells, Immunocytochemistry

# **Images**


Western Blot: Calnexin Antibody (1C2.2D11) - Azide and BSA Free [NBP2-80608] - Analysis of 11 kDa Partial Recombinant Human Calnexin protein with Calnexin antibody (clone 1C2.2D11) at 0.5 ug/mL. Image from the standard format of this antibody.




Immunocytochemistry: Calnexin Antibody (1C2.2D11) - Azide and BSA Free [NBP2-80608] - Analysis of FFPE tissue section of normal human kidney using mouse monoclonal Calnexin antibody (clone 1C2.2D11) at 7 ug/mL concentration. The cells of Glomeruli developed strong cytoplasmic staining. Image from the standard format of this antibody.




Immunohistochemistry: Calnexin Antibody (1C2.2D11) - Azide and BSA Free [NBP2-80608] - Analysis of FFPE tissue section of normal human breast using mouse monoclonal Calnexin antibody (clone 1C2.2D11) at 7 ug/mL concentration. The myoepithelial cells around the lobules depicted a very strong cytoplasmic staining. Image from the standard form




Immunocytochemistry/Immunofluorescence: Calnexin Antibody (1C2.2D11) - Azide and BSA Free [NBP2-80608] - Calnexin (1C2.2D11) antibody was tested in HeLa cells with DyLight 488 (green). Nuclei and alpha-tubulin were counterstained with DAPI (blue) and Dylight 550 (red). Image from the standard format of this antibody.




Immunocytochemistry/Immunofluorescence: Calnexin Antibody (1C2.2D11) - Azide and BSA Free [NBP2-80608] - HeLa cells were fixed for 10 minutes using 10% formalin and then permeabilized for 5 minutes using 1X PBS + 0.05% Triton X-100. The cells were incubated with anti-Calnexin (1C2.2D11) conjugated to FITC [NBP2-36570F] at 10ug/mL for 1 hour at room temperature. Nuclei were counterstained with DAPI (Blue). Cells were imaged using a 40X objective. Image from the standard format of this antibody.




Immunohistochemistry-Paraffin: Calnexin Antibody (1C2.2D11) - Azide and BSA Free [NBP2-80608] - Analysis of FFPE tissue section of human placenta using mouse monoclonal Calnexin antibody (clone 1C2.2D11) at 7 ug/mL concentration. Image from the standard format of this antibody.



Immunohistochemistry: Calnexin Antibody (1C2.2D11) - Azide and BSA Free [NBP2-80608] - Analysis of FFPE tissue section of human skin using mouse monoclonal Calnexin antibody (clone 1C2.2D11) at 7 ug/mL concentration. The outermost keratinocytes layer of the epidermis showed cytoplasmic positivity for Calnexin protein. Image from the standar



Immunohistochemistry: Calnexin Antibody (1C2.2D11) - Azide and BSA Free [NBP2-80608] - Analysis of FFPE tissue section of malignant stromal tumor of the human small bowel using mouse monoclonal Calnexin antibody (clone 1C2.2D11) at 7 ug/mL concentration. The cancer cells showed a very strong cytoplasmic reactivity for Calnexin. Image from t





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-80608**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43317-0.5mg Mouse IgG2b Kappa Light Chain Isotype Control (MG2b)

NB100-1974PEP Calnexin Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80608

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

