

Product Datasheet

CD14 Antibody (M5E2) - Azide and BSA Free NBP2-80627

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-80627

Updated 8/21/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-80627




NBP2-80627

CD14 Antibody (M5E2) - Azide and BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	M5E2
Preservative	No Preservative
Isotype	IgG2a Kappa
Purity	Protein G purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	929
Gene Symbol	CD14
Species	Human, Porcine, Bovine, Canine, Primate
Reactivity Notes	Expected to cross react with Chimpanzee, Cynomolgus, Rhesus, Pigtailed Macaque, Capuchin Monkey, Cotton-topped Tamarin, Common Marmoset, Squirrel Monkey.
Immunogen	Human peripheral blood cells.
Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Block/Neutralize, CyTOF-ready
Recommended Dilutions	Flow Cytometry 2.0 ug/10 ⁶ cells in 100 ul, Immunohistochemistry 1:10 - 1:500, Immunocytochemistry/ Immunofluorescence 1:10 - 1:500, Immunohistochemistry-Frozen 1:10 - 1:500, CyTOF-ready, Block/Neutralize reported in scientific literature (PMID 27228163)
Application Notes	The M5E2 antibody inhibits monocyte activation and cytokine production induced by LPS. Additional reported applications (for the relevant formats) include: immunohistochemical staining of acetone-fixed frozen sections, blocking of LPS stimulation, and immunofluorescence microscopy. Clone M5E2 is not recommended for immunohistochemical staining of formalin-fixed paraffin-embedded sections. This antibody is CyTOF ready.

Images


Immunocytochemistry/Immunofluorescence: CD14 Antibody (M5E2) - Azide and BSA Free [NBP2-80627] - Representative immunostaining of CD14 (red) in adult human lung tissue sample with nuclei counterstained blue. This image was submitted by customer review. Image from the Alexa Fluor 647 version of this antibody. Image from the standard format of this antibody.




Flow Cytometry: CD14 Antibody (M5E2) - Azide and BSA Free [NBP2-80627] - Analysis using the PE conjugate of NB100-77758. Staining of CD14 in human PBMC using anti-CD14 antibody conjugated with PE. Image from verified customer review.




Immunocytochemistry/Immunofluorescence: CD14 Antibody (M5E2) - Azide and BSA Free [NBP2-80627] - Human lung tissue was stained with FITC-conjugated CD14 (Green) for overnight. Image from the Alexa Fluor 488 version of this antibody.




Flow Cytometry: CD14 Antibody (M5E2) - Azide and BSA Free [NBP2-80627] - A surface stain was performed on human peripheral blood monocytes with CD163 (EDHu-1) antibody NB110-40686APC and a matched isotype control NBP2-27287APC. Cells were incubated in an antibody dilution of 1 µg/mL for 20 minutes at room temperature. A co-stain was performed with NB100-77758AF488. Image from the standard format of this antibody.




Flow Cytometry: CD14 Antibody (M5E2) - Azide and BSA Free [NBP2-80627] - Analysis using PE conjugate of NB100-77758. A cell surface stain was performed on hPBMCs with ILT5 antibody (MM0413-9S32) NBP2-11729 (top image) and a matched isotype control NBP2-27287 (bottom image). Cells were incubated in an antibody dilution of 1:200 for 20 minutes at room temperature. Both antibodies were directly conjugated to APC. A co-stain was performed using CD14 antibody (M5E2) NB100-77758PE.



Flow Cytometry: CD14 Antibody (M5E2) - Azide and BSA Free [NBP2-80627] - Analysis using the FITC conjugate of NB100-77758. Staining of Human peripheral blood monocytes with M5E2 FITC.



Flow Cytometry: CD14 Antibody (M5E2) - Azide and BSA Free [NBP2-80627] - Human peripheral blood monocytes stained with M5E2 APC. Image from the standard format of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-80627

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96981-0.5mg	Mouse IgG2a Kappa Isotype Control (M2AK)
NBP2-52177-0.05mg	Recombinant Mouse CD14 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80627

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

