

Product Datasheet

CD19 Antibody (CB19) - Azide and BSA Free NBP2-80634

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-80634

Updated 8/21/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-80634



NBP2-80634

CD19 Antibody (CB19) - Azide and BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	CB19
Preservative	No Preservative
Isotype	IgG1
Purity	Protein G purified
Buffer	PBS

Product Description	
Host	Mouse
Gene ID	930
Gene Symbol	CD19
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 27532872).
Immunogen	Intact normal human B cell cells were used as immunogen to generate the CB19 clone.


Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, In vitro assay, CyTOF-ready
Recommended Dilutions	Western Blot reported in scientific literature (PMID 17327405), Flow Cytometry 0.2 ug/10 ⁶ cells, Immunocytochemistry/ Immunofluorescence 1:25-1:100, In vitro assay reported in scientific literature (PMID 9576485), CyTOF-ready
Application Notes	This antibody is CyTOF ready.

Images


Immunocytochemistry/Immunofluorescence: CD19 Antibody (CB19) - Azide and BSA Free [NBP2-80634] - The CD19 (CB19) antibody was tested in Daudi cells at a 1:40 dilution against Dylight 488 (Green). Actin and nuclei were counterstained against Phalloidin 568 (Red) and DAPI (Blue), respectively. Image from the standard format of this antibody.




Flow Cytometry: CD19 Antibody (CB19) - Azide and BSA Free [NBP2-80634] - Analysis using the PE conjugate of NBP2-25196. Staining of CD19 in 1×10^6 human PBMC using 10 ul (0.25 ug) of was used to test this product. Propidium iodide negative lymphocyte population gated for analysis.




Flow Cytometry: CD19 Antibody (CB19) - Azide and BSA Free [NBP2-80634] - A surface stain was performed on human peripheral blood lymphocytes with CD9 (HI9a) antibody NB100-77915AF647 and a matched isotype control NBP2-27287AF488. Cells were incubated in an antibody dilution of 1 ug/mL for 20 minutes at room temperature. A co-stain was performed with NBP2-26646. Image from the standard format of this antibody.



Flow Cytometry: CD19 Antibody (CB19) - Azide and BSA Free [NBP2-80634] - A surface stain was performed on human peripheral blood lymphocytes with TACI/TNFRSF13B/CVID (1A1) antibody NB600-1189PE and a matched isotype control. Cells were incubated in an antibody dilution of 2 ug/mL for 20 minutes at room temperature. A co-stain was performed with NBP2-25196AF647. Image from the standard format of this antibody.




Flow Cytometry: CD19 Antibody (CB19) - Azide and BSA Free [NBP2-80634] - A surface stain was performed on Ramos cells with CD19 Antibody (CB19) NBP2-26646 (blue) and a matched isotype control (orange). Cells were incubated in an antibody dilution of 2.5 ug/mL for 20 minutes at room temperature. Both antibodies were directly conjugated to phycoerythrin.




Copyright © 2018 Novus Biologicals


Flow Cytometry: CD19 Antibody (CB19) - Azide and BSA Free [NBP2-80634] - Analysis using the Alexa Fluor (R) 700 conjugate of NBP2-25196. Staining of human PBMC. Image from verified customer review.




Flow Cytometry: CD19 Antibody (CB19) - Azide and BSA Free [NBP2-80634] - Analysis using the DyLight 405 conjugate of NBP2-25196. Staining of CD19 in human PBMCs using anti-CD19 antibody. Image from verified customer review.



Flow Cytometry: CD19 Antibody (CB19) - Azide and BSA Free [NBP2-80634] - Analysis using the FITC conjugate of NBP2-25196. Staining of CD19 in 10^6 human lymphocytes using 10 ul (0.25 ug) of this antibody. Shaded histogram represents cells without antibody; green represents isotype control ; red represents anti-CD19 antibody.



Flow Cytometry: CD19 Antibody (CB19) - Azide and BSA Free [NBP2-80634] - Surface staining of 10^6 human lymphocytes using 0.2 ug of CD19 antibody (red) and isotype control (green). Cell surface staining kit was used for this test. Image from the standard format of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-80634

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
H00000930-P01-10ug	Recombinant Human CD19 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80634

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

