# **Product Datasheet**

# LC3A Antibody (2312D) - Azide and BSA Free NBP2-80828

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-80828

Updated 10/20/2020 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-80828



# NBP2-80828


LC3A Antibody (2312D) - Azide and BSA Free

LC3A Antibody (2312D) - Azide and BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	2312D
Preservative	No Preservative
Isotype	IgG
Purity	Protein A or G purified from cell culture supernatant
Buffer	PBS
Product Description	
Host	Rabbit
Gene ID	84557
Gene Symbol	MAP1LC3A
Species	Human, Mouse
Immunogen	Partial synthetic peptide from the C-terminal of human LC3A [UniProt Q9H492]
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1 ug/ml, Immunohistochemistry 3-25 ug/ml, Immunohistochemistry-Paraffin 3-25 ug/ml
4	




#### **Images**

Western Blot: LC3A Antibody (2312D) - Azide and BSA Free [NBP2-80828] - This LC3A antibody image shows the total protein from human HeLa and mouse Neuro2A cells treated with and without 50 uM chloroquine for 24 hours was separated on a 4-20% gel by SDS-PAGE, transferred to 0.2 um PVDF membrane and blocked in 5% non-fat milk in TBST. The membrane was probed with 2.0 ug/ml anti-LC3A in blocking buffer and detected with an anti-rabbit HRP secondary antibody using West Pico PLUS chemiluminescence detection reagent. Image from the standard format of this antibody.



Immunohistochemistry-Paraffin: LC3A Antibody (2312D) - Azide and BSA Free [NBP2-80828] - LC3A was detected in immersion fixed paraffin-embedded sections of human brain (frontal cortex) using Rabbit Anti-Human LC3A Monoclonal Antibody (Catalog # NBP2-75924) at 3 ug/mL for 1 hour at room temperature followed by incubation with the Anti-Rabbit I





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-80828**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NB100-2331PEP LC3A Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80828

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

