Product Datasheet

Ly-6G/Ly-6C Antibody (RB6-8C5) - Azide and BSA Free NBP2-80838

Unit Size: 100 ug

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-80838

Updated 10/7/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-80838



NBP2-80838


Ly-6G/Ly-6C Antibody (RB6-8C5) - Azide and BSA Free

Product Information	
Unit Size	100 ug
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	RB6-8C5
Preservative	No Preservative
Isotype	IgG2b Kappa
Purity	Protein A or G purified
Buffer	PBS
Product Description	
Host	Rat
Gene ID	546644
Gene Symbol	Ly6g
Species	Mouse
Immunogen	Normal mouse bone marrow.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry- Paraffin, In vivo assay, Immunoprecipitation, CyTOF-ready
Recommended Dilutions	Western Blot 1:100-1:2000, Flow Cytometry 1:10-1:1000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 8-25 ug/ml, Immunoprecipitation 1:10-1:500, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen 1:10-1:500, In vivo assay reported in scientific literature (PMID 16272176), CyTOF-ready
Application Notes	The RB6-8C5 antibody has been tested by flow cytometric analysis of mouse bone marrow cells and splenocyte suspensions. This can be used at less than or equal to 0.5 ug per test. A test is defined as the amount (ug) of antibody that will stain a cell sample in a final volume of 100 ul. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test. The RB6-8C5 antibody has also been reported for use immunoprecipitation, immunoblotting (WB) and immunohistochemical staining. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest. This antibody is CyTOF ready.



Images

Immunohistochemistry-Paraffin: Ly-6G/Ly-6C Antibody (RB6-8C5) -Azide and BSA Free [NBP2-80838] - Analysis of a FFPE tissue section of mouse bone marrow using 1:200 dilution of Lot A-1 of Ly-6G antibody (clone RB6-8C5). The antibody generated specific staining in a subset of cells in the tested section. The neutrophils (identifiable from typical nucle





Flow Cytometry: Ly-6G/Ly-6C Antibody (RB6-8C5) - Azide and BSA Free [NBP2-80838] - Staining of mouse bone marrow with Anti-Mouse Ly-6G (Gr-1) FITC and Anti-Human/Mouse CD45R (B220) PE. Total viable cells were used for analysis. Image from the standard format of this antibody.


Immunohistochemistry-Paraffin: Ly-6G/Ly-6C Antibody (RB6-8C5) -Azide and BSA Free [NBP2-80838] - Analysis of a FFPE tissue section of mouse bone marrow using 1:100 dilution of Lot E04586-1632 of Ly-6G antibody (clone RB6-8C5). The antibody generated specific staining in a subset of cells in the tested section. Image from the standard format of this a

Flow Cytometry: Ly-6G/Ly-6C Antibody (RB6-8C5) - Azide and BSA Free [NBP2-80838] - 1 ug/1^6 BALB/c bone marrow cells were stained with either rat IgG2b: FITC (as an isotype control) or rat anti-mouse Ly-6G: FITC. Large cells were then gated and analyzed on a flow cytometer. Image from the standard format of this antibody.

www.novusbio.com











Flow Cytometry: Ly-6G/Ly-6C Antibody (RB6-8C5) - Azide and BSA Free [NBP2-80838] - Analysis using the Allophycocyanin conjugate of NBP2-00441. Staining of C57BL/6 bone marrow cells with 0.125 ug of Rat IgG2b kappa Isotype Control APC (blue histogram) or 0.125 ug of Anti-Mouse Ly-6G (Gr-1) APC (purple histogram).



GR-1 APC

Flow Cytometry: Ly-6G/Ly-6C Antibody (RB6-8C5) - Azide and BSA Free [NBP2-80838] - Analysis using the PE conjugate of NBP2-00441. Total BALB/c bone marrow cell suspension was stained with Anti-Mouse Ly-6G (Gr-1) PE. Viable cells were gated on lymphoid (R2) and myeloid (R3) populations based on their scatter. Restricted expression of Ly-6G by myeloid lineage (B) and not by lymphoid lineage (A) is demonstrated. Green histograms are autofluorescence of bone marrow cells.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-80838

HAF005	Goat anti-Rat IgG Secondary Antibody [HRP]
NBP1-75398	Goat anti-Rat IgG (H+L) Secondary Antibody (Pre-adsorbed)
NBP1-43323-0.5mg	Rat IgG2b Kappa Light Chain Isotype Control (149/10H5)
210-TA-005	TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80838

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

