Product Datasheet

VLDLR Antibody (6A6) - Azide and BSA Free NBP2-81010

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-81010

Updated 8/21/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-81010



NBP2-81010

VLDLR Antibody (6A6) - Azide and BSA Free

Product Information Unit Size 0.1 ml Concentration 1 mg/ml Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. Clonality Monoclonal Clone 6A6 Preservative No Preservative Isotype IgG1 Purity Protein G purified Buffer PBS Product Description Mouse Gene ID 7436 Gene Symbol VLDLR Species Human, Mouse, Rat, Bovine Immunogen Synthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155] Product Application Details Mestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Paraffin Recommended Dilutions Western Blot 1:1000, Immunohistochemistry-Paraffin 1:200 Application Notes This VLDL Receptor (6A6) antibody is useful for Immunocytochemistry on paraffin-memoded bietween 120 and 168 kDa (see reference Jokinen et al, 1994).		
Concentration1 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityMonoclonalClone6A6PreservativeNo PreservativeIsotypeIgG1PurityProtein G purifiedBufferPBSProduct DescriptionHostMouseGene ID7436Gene SymbolVLDLRSpeciesHuman, Mouse, Rat, BovineImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, 1:1000, Immunohistochemistry 1:200, Immunocytochemistry/ Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunocytochemistry/Immunofluorescence, Isofur not soften story on paraffin- embedded sections and Western blot, where various isoforms can be detected	Product Information	
StorageStora at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityMonoclonalClone6A6PreservativeNo PreservativeIsotypeIgG1PurityProtein G purifiedBufferPBSProduct DescriptionMouseHostMouseGene ID7436Gene SymbolVLDLRSpeciesHuman, Mouse, Rat, BovineImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunochistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunofluorescence 1:50, Immunohistochemistry-Paraffin 1:200	Unit Size	0.1 ml
cycles.ClonalityMonoclonalClone6A6PreservativeNo PreservativeIsotypeIgG1PurityProtein G purifiedBufferPBSProduct DescriptionMouseHostMouseGene ID7436Gene SymbolVLDLRSpeciesHuman, Mouse, Rat, BovineImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry. Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunohistochemistry. Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Concentration	1 mg/ml
Clone6A6PreservativeNo PreservativeIsotypeIgG1PurityProtein G purifiedBufferPBSProduct DescriptionMouseHostMouseGene ID7436Gene SymbolVLDLRSpeciesHuman, Mouse, Rat, BovineImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry 1:200, Immunocytochemistry 1:200, Immunocytochemistry/ Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence 1:50, Immunohistochemistry -Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Storage	· · · · · ·
Preservative No Preservative Isotype IgG1 Purity Protein G purified Buffer PBS Product Description Mouse Gene ID 7436 Gene Symbol VLDLR Species Human, Mouse, Rat, Bovine Immunogen Synthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155] Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry 1:200, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry 1:200, Immunohistochemistry 1:200, Immunohistochemistry 1:200, Immunohistochemistry 1:200 Application Notes This VLDL Receptor (6A6) antibody is useful for Immunohistochemistry on paraffinembedded sections and Western blot, where various isoforms can be detected	Clonality	Monoclonal
IsotypeIgG1PurityProtein G purifiedBufferPBSProduct DescriptionMouseHostMouseGene ID7436Gene SymbolVLDLRSpeciesHuman, Mouse, Rat, BovineImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunohistochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Clone	6A6
PurityProtein G purifiedBufferPBSProduct DescriptionMouseHostMouseGene ID7436Gene SymbolVLDLRSpeciesHuman, Mouse, Rat, BovineImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Immunohistochemistry 1:200, Immunocytochemistry/ Immunohistochemistry 1:200, Immunocytochemistry/ Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunohistochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Preservative	No Preservative
Buffer PBS Product Description Mouse Host Mouse Gene ID 7436 Gene Symbol VLDLR Species Human, Mouse, Rat, Bovine Immunogen Synthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155] Product Application Details Applications Western Blot, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry. Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence, ISO, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry 1:200, Immunocytochemistry/Immunofluorescence, Immunohistochemistry 1:200, Immunocytochemistry/Immunofluorescence, ISO, Immunohistochemistry 1:200, Immunocytochemistry/Immunofluorescence, Immunohistochemistry 1:200, Immunocytochemistry/Immunofluorescence, Immunohistochemistry 1:200, Immunocytochemistry/Immunofluorescence, Immunohistochemistry 1:200 Application Notes This VLDL Receptor (6A6) antibody is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin-embedded sections and Western blot, where various isoforms can be detected	Isotype	IgG1
Product Description Host Mouse Gene ID 7436 Gene Symbol VLDLR Species Human, Mouse, Rat, Bovine Immunogen Synthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155] Product Application Details Mestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:1000, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence 1:50, Immunohistochemistry-Paraffin 1:200 Application Notes This VLDL Receptor (6A6) antibody is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Purity	Protein G purified
HostMouseGene ID7436Gene SymbolVLDLRSpeciesHuman, Mouse, Rat, BovineImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence 1:50, Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunohistochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Buffer	PBS
Gene ID7436Gene SymbolVLDLRSpeciesHuman, Mouse, Rat, BovineImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:200, Immunocytochemistry/ Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Product Description	
Gene SymbolVLDLRSpeciesHuman, Mouse, Rat, BovineImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence 1:50, Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Host	Mouse
SpeciesHuman, Mouse, Rat, BovineImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence 1:50, Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Gene ID	7436
ImmunogenSynthetic peptide corresponding to the C-terminus of human VLDL Receptor [Swiss-Prot# P98155]Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence 1:50, Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Gene Symbol	VLDLR
Image: Swiss-Prot# P98155]Product Application DetailsApplicationsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence 1:50, Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Species	Human, Mouse, Rat, Bovine
ApplicationsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence 1:50, Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunofluorescence, Immunohistochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Immunogen	
Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:1000, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence 1:50, Immunohistochemistry-Paraffin 1:200Application NotesThis VLDL Receptor (6A6) antibody is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Product Application Details	
Application Notes Immunofluorescence 1:50, Immunohistochemistry-Paraffin 1:200 Application Notes This VLDL Receptor (6A6) antibody is useful for Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Applications	
Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected	Recommended Dilutions	
	Application Notes	Immunocytochemistry/Immunofluorescence, Immunohistochemistry on paraffin- embedded sections and Western blot, where various isoforms can be detected



Images

Western Blot: VLDLR Antibody (6A6) - Azide and BSA Free [NBP2-250> 81010] - Analysis of VLDL Receptor expression in mouse kidney. Image from the standard format of this antibody. 150> VLDL Receptor 100> 75> 50> 37> 25> 20> 15> Immunocytochemistry/Immunofluorescence: VLDLR Antibody (6A6) -Azide and BSA Free [NBP2-81010] - VLDL Receptor antibody was tested in HeLa cells with FITC (green). Nuclei and actin were counterstained with Dapi (blue) and Phalloidin (red). Image from the standard format of this antibody. Immunohistochemistry: VLDLR Antibody (6A6) - Azide and BSA Free [NBP2-81010] - Analysis of VLDL Receptor in mouse kidney. Image from the standard format of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-81010

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
DVE00	VEGF [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-81010

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

