Product Datasheet

CD3 epsilon Antibody (OKT-3 (muromonab)) - Chimeric Azide and BSA Free NBP2-81031-0.2mg

Unit Size: 0.2 mg

Store at 4C for up to 3 months. For longer storage, aliquot and store at -20C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-81031

Updated 10/19/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-81031



NBP2-81031-0.2mg

CD3 epsilon Antibody (OKT-3 (muromonab)) - Chimeric - Azide and BSA Free

, , ,	,,,	
Product Information		
Unit Size	0.2 mg	
Concentration	1 mg/ml	
Storage	Store at 4C for up to 3 months. For longer storage, aliquot and store at -20C.	
Clonality	Monoclonal	
Clone	OKT-3 (muromonab)	
Preservative	0.02% Proclin 300	
Isotype	IgG Kappa	
Purity	Protein A purified	
Buffer	PBS	
Does to at December than		

Product Description	
Host	Rabbit
Gene ID	916
Gene Symbol	CD3E
Species	Human
Specificity/Sensitivity	Epitope on the epsilon-subunit within the human CD3 complex.
Immunogen	Human peripheral E+ cells.

Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Flow Cytometry, Immunocytochemistry/ Immunofluorescence
	This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG2a format, for improved compatibility with existing reagents, assays and techniques.

Images

Immunocytochemistry/Immunofluorescence: CD3 epsilon Antibody (OKT-3 (muromonab)) [NBP2-81031] - Immunofluorescence staining of fixed Molt4 cells with CD3 epsilon Antibody (OKT-3 (muromonab)) [NBP2-81031]. Immunofluorescence analysis of paraformaldehyde fixed Molt4 cells on Shi-fix coverslips, permeabilized with 0.15% Triton and stained with the chimeric rabbit IgG version of OKT-3 [NBP2-81031] at 10 ug/ml for 1h followed by Alexa Fluor 488 secondary antibody (1 ug/ml), showing membrane staining. The nuclear stain is DAPI (blue). Panels show from left-right, top-bottom NBP2-81031, DAPI, merged channels and an isotype control. The isotype control was stained with an anti-Fluorescein antibody followed by Alexa Fluor 488 secondary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-81031-0.2mg

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-22752 Recombinant Human CD3 epsilon His Protein

210-TA-005 TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-81031

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

