# **Product Datasheet**

# TIGIT Antibody (4D4) - Azide and BSA Free NBP2-81116-0.2mg

Unit Size: 0.2 mg

Store at 4C for up to 3 months. For longer storage, aliquot and store at -20C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-81116

Updated 10/19/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-81116



# NBP2-81116-0.2mg

ΓΙGΙΤ Antibody (4D4) - Azide and BSA Free

TIGIT Antibody (4D4) - Azide and BSA Free	
Product Information	
Unit Size	0.2 mg
Concentration	1 mg/ml
Storage	Store at 4C for up to 3 months. For longer storage, aliquot and store at -20C.
Clonality	Monoclonal
Clone	4D4
Preservative	0.02% Proclin 300
Isotype	IgG Kappa
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Armenian Hamster
Gene ID	201633
Gene Symbol	TIGIT
Species	Mouse
Specificity/Sensitivity	4D4 specifically recognises TIGIT.
Immunogen	Armenian hamsters were immunized with recombinant mouse TIGIT tetramers by a combination of s.c. and food pad immunization and booster injections. Draining lymph nodes were fused with Sp2/0-Ag14 cells, selected in HAT (hypoxanthine/aminopterin/thymidine) medium and supernatants were screened for specificity by ELISA and flow cytometry using TIGIT-transfectants.
Product Application Details	
Applications	Flow Cytometry, Block/Neutralize
Recommended Dilutions	Flow Cytometry, Block/Neutralize
Application Notes	4D4 is an agonistic anti-TIGIT antibody, and addition of plate bound 4D4 to anti-CD3/anti-CD28 stimulated T cells was shown to inhibit their proliferation (Joller 2011). Further, 4D4 has been used in order to identify genes that are downstream of TIGIT signaling in Tregs, as TIGIT engagement might modulate the Treg phenotype in tumor tissue (Liu 2016).





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP2-81116-0.2mg

NB120-5738 Goat anti-Armenian Hamster IgG (H+L) Secondary Antibody

DY417-05 IL-10 [Biotin]

7898-TGB-100 TIGIT [Unconjugated]

AF1086 PD-1 Antibody [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-81116

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

