# **Product Datasheet**

# alpha Tubulin 3c Antibody [PerCP] NBP2-81702PCP

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-81702PCP

Updated 10/24/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-81702PCP



# NBP2-81702PCP

**Application Notes** 

alpha Tubulin 3c Antibody [PerCP]

| alpha Tubulin 3c Antibody [PerCP] |  |
|-----------------------------------|--|
| Product Information               |  |
| Unit Size                         | 0.1 ml   |
| Concentration                     | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                           | Store at 4C in the dark.   |
| Clonality                         | Polyclonal   |
| Preservative                      | 0.05% Sodium Azide   |
| Isotype                           | lgG  |
| Conjugate                         | PerCP  |
| Purity                            | Peptide affinity purified  |
| Buffer                            | PBS  |
| Product Description               |  |
| Host                              | Rabbit   |
| Gene ID                           | 7278   |
| Gene Symbol                       | TUBA3C   |
| Species                           | Human, Mouse, Rat  |
| Immunogen                         | Alpha Tubulin 3c antibody was raised against an 18 amino acid peptide near the amino terminus of human alpha Tubulin 3c. The immunogen is located within the first 50 amino acids of alpha Tubulin 3c. Amino Acid Squence: HGIQPDGQMPSDKTIGGGD |
| Product Application Details       |  |
| Applications                      | Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin   |
| Recommended Dilutions             | Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin   |

Optimal dilution of this antibody should be experimentally determined.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP2-81702PCP**

NBP2-33376H Blue Marker Antibody (6F4-F6) [HRP]
NBP2-24891PCP Rabbit IgG Isotype Control [PerCP]

H00007278-P01-10ug Recombinant Human alpha Tubulin 3c GST (N-Term) Protein

273-F9-025 FGF-9 [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-81702PCP

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

