Product Datasheet

SPATA6 Antibody [CoraFluor™ 1] NBP2-81853CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-81853CL1

Updated 10/22/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-81853CL1



NBP2-81853CL1

SPATA6 Antibody [CoraFluor™ 1]

Unit Size 0.1 ml Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Do not freeze. Clonality Polyclonal Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Peptide affinity purified Buffer PBS Product Description CoraFluor TM / I is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 565 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CaraFluor(IM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Rost Rabbit Gene ID 54558 Gene Symbol SPATA6 Specificity/Sensitivity At least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is prediced to not cross-react with other SPATA protein family members. Immunogen SPATA6 Specificity/Sensitivity At least three isoforms	Product Information	
services. Storage Store at 4C in the dark. Do not freeze. Clonality Polyclonal Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Peptide affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 as aborbs UV light at approximately 440 nm, and emits at apporximately 440 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorbs UV light at approximately 440 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorbs UV light at approximately 440 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 54558 Specificity/Sensitivity At least three isoforms of SPATA6 are known to exist, this antibody will detect only the longest two isoforms. SPATA6 artibody is predicted to not cross-react with other SPATA protein family members. Immunogen SPATA6 Specificity/Sensitivity Notes Cora	Unit Size	0.1 ml
Clonality Polyclonal Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Peptide affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 440 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 54558 Gene Symbol SPATA6 Specificit//Sensitivity At least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members. Immunogen SPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acid sol of SPATA6. Amino Acid Squence: RDSA/DSDPEYSS Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachuse	Concentration	·
Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Peptide affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(M) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 54558 Gene Symbol SPATA6 Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members. Immunogen SPATA6 Antibody was raised against at 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. Amino Acid Squence: RDSAYDSDPEYSS Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254	Storage	Store at 4C in the dark. Do not freeze.
Isotype IgG Conjugate CoraFluor 1 Purity Peptide affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) econe Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 54558 Gene Symbol SPATA6 Species Human, Mouse, Rat Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of SPATA6 antibody is predicted to not cross-react with other SPATA protein family members. Immunogen SPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAVDSDPEYSS Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Biot, E	Clonality	Polyclonal
Conjugate CoraFluor 1 Purity Peptide affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development, terrary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 54558 Specificity/Sensitivity At least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members. Immunogen SPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAYDSDPEYSS Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement form Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin	Preservative	No Preservative
Purity Peptide affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelength (TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 54558 Gene Symbol SPATA6 Specificity/Sensitivity At least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members. Immunogen SPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAYDSDPEYSS Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, ELISA, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry-Paraffin	Isotype	IgG
Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 54558 Gene Symbol SPATA6 Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 and the amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAVDSDPEYSS Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, ELISA, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry-Paraffin	Conjugate	CoraFluor 1
Product Description Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 54558 Gene Symbol SPATA6 Species Human, Mouse, Rat Specificity/Sensitivity At least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members. Immunogen SPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAYDSDPEYSS Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, ELISA, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin	Purity	Peptide affinity purified
DescriptionCoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.HostRabbitGene ID54558Gene SymbolSPATA6SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members.ImmunogenSPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAYDSDPEYSSNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry. Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry. Paraffin	Buffer	PBS
Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.HostRabbitGene ID54558Gene SymbolSPATA6SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members.ImmunogenSPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. The immunogen is located proposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunohistochemistry-ParaffinApplicationsWestern Blot, ELISA, Immunohistochemistry-Paraffin	Product Description	
Gene ID54558Gene SymbolSPATA6SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members.ImmunogenSPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAYDSDPEYSSNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application Details ApplicationsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Paraffin	Description	Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and
Gene SymbolSPATA6SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members.ImmunogenSPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAYDSDPEYSSNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry, Immunocytochemistry/ Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunofluorescence, Immunofluorescence, Immunohistochemistry.	Host	Rabbit
SpeciesHuman, Mouse, RatSpecificity/SensitivityAt least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members.ImmunogenSPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAYDSDPEYSSNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Immunohistochemistry. ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry. Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Paraffin	Gene ID	54558
Specificity/SensitivityAt least three isoforms of SPATA6 are known to exist; this antibody will detect only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members.ImmunogenSPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAYDSDPEYSSNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Immunohistochemistry. ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry. Paraffin	Gene Symbol	SPATA6
only the longest two isoforms. SPATA6 antibody is predicted to not cross-react with other SPATA protein family members.ImmunogenSPATA6 antibody was raised against a 14 amino acid synthetic peptide near the carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAYDSDPEYSSNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin	Species	Human, Mouse, Rat
carboxy terminus of human SPATA6. The immunogen is located within amino acids 400 - 450 of SPATA6. Amino Acid Squence: RDSAYDSDPEYSSNotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunocytochemistry/ Immunocytochemistry/ Immunohistochemistry, Immunocytochemistry, Immunocytochemistry/ Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry, Immunocytochemistry/ Paraffin	Specificity/Sensitivity	only the longest two isoforms. SPATA6 antibody is predicted to not cross-react
only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsApplicationsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry-Paraffin	Immunogen	carboxy terminus of human SPATA6. The immunogen is located within amino
ApplicationsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin	Notes	only under agreement from Massachusetts General Hospital. US patent
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin	Product Application Details	
Immunofluorescence, Immunohistochemistry-Paraffin	Applications	
Application NotesOptimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	
	Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-81853CL1

285-IF-100	IFN-gamma [Unconjugated]
NBP2-06729	SPATA6 Overexpression Lysate
6507-IL-010/CF	IL-4 [Unconjugated]
NBP2-58812PEP	SPATA6 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-81853CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

