Product Datasheet

NK3R/TACR3/Neurokinin B Receptor Antibody - BSA Free NBP2-82076

Unit Size: 0.1 mg

Store at 4C.



Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-82076

Updated 10/19/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-82076




NBP2-82076

NK3R/TACR3/Neurokinin B Receptor Antibody - BSA Free

| Product InformationUnit Size0.1 mgConcentration1 mg/mlStorageStore at 4C.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight51 kDaProduct Description6870Gene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
|---|---|
| Concentration1 mg/mlStorageStore at 4C.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight51 kDaProduct DescriptionKabbitGene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
| StorageStore at 4C.ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight51 kDaProduct DescriptionKabbitHostRabbitGene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
| ClonalityPolyclonalPreservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight51 kDaProduct DescriptionRabbitHostRabbitGene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
| Preservative0.02% Sodium AzideIsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight51 kDaProduct DescriptionRabbitHostRabbitGene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
| IsotypeIgGPurityPeptide affinity purifiedBufferPBSTarget Molecular Weight51 kDaProduct DescriptionKabbitHostRabbitGene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
| PurityPeptide affinity purifiedBufferPBSTarget Molecular Weight51 kDaProduct DescriptionRabbitHostRabbitGene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
| BufferPBSTarget Molecular Weight51 kDaProduct DescriptionKabbitHostRabbitGene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
| Target Molecular Weight51 kDaProduct DescriptionHostRabbitGene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
| Product Description Host Rabbit Gene ID 6870 Gene Symbol TACR3 Species Human, Mouse Reactivity Notes Immunogen displays the following percentage of sequence identity for non- | |
| HostRabbitGene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
| Gene ID6870Gene SymbolTACR3SpeciesHuman, MouseReactivity NotesImmunogen displays the following percentage of sequence identity for non- | |
| Gene Symbol TACR3 Species Human, Mouse Reactivity Notes Immunogen displays the following percentage of sequence identity for non- | |
| Species Human, Mouse Reactivity Notes Immunogen displays the following percentage of sequence identity for non- | |
| Reactivity Notes Immunogen displays the following percentage of sequence identity for non- | |
| | |
| tested species: Guinea pig: (83%) | |
| Specificity/Sensitivity NK3R/TACR3/Neurokinin B Receptor antibody does not recognize NK1R or NK2R. | |
| ImmunogenNK3R antibody was raised against a 18 amino acid synthetic peptide from nea the center of human NK3R. The immunogen is located within amino acids 370 420 of NK3R. Amino Acid Squence: SYDELELKTTRFHPNRQS | |
| Product Application Details | |
| Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin | |
| Recommended Dilutions Western Blot 0.5-2 ug/ml, ELISA, Immunohistochemistry 5 ug/ml, Immunocytochemistry/ Immunofluorescence 20 ug/ml, Immunohistochemistry- Paraffin | - |

www.novusbio.com









Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-82076

| HAF008 | Goat anti-Rabbit IgG Secondary Antibody [HRP] |
|--------------|--|
| NB7160 | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| NBP2-24891 | Rabbit IgG Isotype Control |
| NB300-102PEP | NK3R/TACR3/Neurokinin B Receptor Antibody Blocking Peptide |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-82076

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

