Product Datasheet

SARS-CoV-2 Spike Antibody (CR3022) - Azide and BSA Free NBP2-90980

Unit Size: 0.2 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-90980

Updated 11/8/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-90980



NBP2-90980

SARS-CoV-2 Spike Antibody (CR3022) - Azide and BSA Free


SARS-CoV-2 Spike Antibody (Ch	R3022) - Azide and BSA Free
Product Information	
Unit Size	0.2 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	CR3022
Preservative	0.02% Proclin 300
Isotype	IgG1 Kappa
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Human
Gene ID	43740568
Gene Symbol	S
Species	SARS-CoV-2, SARS-CoV
Specificity/Sensitivity	This antibody binds to both SARS-CoV and SARS-CoV-2 with high affinity (PMID: 16796401 & 32065055). It binds the amino acids 318-510 in the S1 domain of the SARS-CoV Spike protein as well as SARS-CoV-2 (COVID-19) Spike protein. The antibody also binds to P462L-substituted S318-510 fragments of the SARS spike protein. The binding epitope is only accessible in the "open" confromation of the spike protein (Joyce et al. 2020).
Immunogen	The original monoclonal antibody was generated through an scFv library derived from a peripheral blood lymphocytes of a patient exposed to the SARS-CoV.
Product Application Details	
Applications	ELISA, Immunocytochemistry/Immunofluorescence, Neutralization, Surface Plasmon Resonance
Recommended Dilutions	ELISA, Immunocytochemistry/Immunofluorescence, Surface Plasmon

Product Application Details	
Applications	ELISA, Immunocytochemistry/Immunofluorescence, Neutralization, Surface Plasmon Resonance
Recommended Dilutions	ELISA, Immunocytochemistry/Immunofluorescence, Surface Plasmon Resonance, Neutralization




Images

ELISA: SARS-CoV-2 Spike Antibody (CR3022) [NBP2-90980] - Binding curve of SARS-CoV-2 Spike Antibody (CR3022) to SARS-CoV-2 Spike Glycoprotein domains S1 and S2 of various origin. ELISA plate coated with SARS-CoV-2 Spike Glycoprotein (S1), His-Tag (Insect Cells; grey line), SARS-CoV-2 Spike Glycoprotein (S2), His-Tag (Insect Cells; yellow line) and SARS Coronavirus Spike Glycoprotein (S1), His-Tag (HEK293 cells; blue line) (Native Antigen) at concentrations of 5 ug/ml. A 3-fold serial dilution from 41.6 ng/ml was performed using SARS-CoV-2 Spike Antibody (CR3022). For detection, a 1:4000 dilution of HRP-labelled antihuman IgG antibody was used.



ELISA: SARS-CoV-2 Spike Antibody (CR3022) [NBP2-90980] - Binding curve of SARS-CoV-2 Spike Antibody (CR3022) to SARS-CoV-2 Spike Glycoprotein (S1), Sheep Fc-Tag and SARS-CoV-2 Spike Glycoprotein (S2), Sheep Fc-Tag from HEK293 cells. ELISA plate coated with SARS-CoV-2 Spike Glycoprotein (S1), Sheep Fc-Tag (blue line) or SARS-CoV-2 Spike Glycoprotein (S2), Sheep Fc-Tag (orange line) from HEK293 cells (Native Antigen) at concentrations of 5 ug/ml. A 3-fold serial dilution from 125 ng/ml was performed using SARS-CoV-2 Spike Antibody (CR3022). For detection, a 1:4000 dilution of HRP-labelled anti-human lgG antibody was used.



Publications

Esmail S, Knauer M, Abdoh H et al. Rapid and accurate agglutination-based testing for SARS-CoV-2 antibodies Cell Rep Methods 2021-07-08 [PMID: 34235498]

Staufer O, Gupta K, Hernandez BUcher JE et al. Synthetic virions reveal fatty acid-coupled adaptive immunogenicity of SARS-CoV-2 spike glycoprotein Nature communications 2022-02-14 [PMID: 35165285] (SARS-CoV-2)

Cai Q, Mu J, Lei Y et al. Simultaneous detection of the spike and nucleocapsid proteins from SARS-CoV-2 based on ultrasensitive single molecule assays Anal Bioanal Chem 2021-05-31 [PMID: 34057558]

Kaneko T, Esmail S, Voss C et al. System-wide hematopoietic and immune signaling aberrations in COVID-19 revealed by deep proteome and phosphoproteome analysis Research Square 2021-02-10 (MiAr)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-90980

G-101-C-ABS Goat anti-Human IgG Secondary Antibody [Unconjugated]

NB7446 Goat anti-Human IgG Fc Secondary Antibody

NBP3-06872-0.1mg Human IgG1 Kappa Isotype Control

NBP3-14666-100ug SARS-CoV-2 Spike Recombinant Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-90980

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

