Product Datasheet

CDKN3 Antibody - Azide and BSA Free NBP2-92881-0.1ml

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-92881

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-92881



NBP2-92881-0.1ml

CDKN3 Antibody - Azide and BSA Free

CDKN3 Antibody - Azide and BSA Free			
0.1 ml			
Please see the vial label for concentration. If unlisted please contact technical services.			
Store at -20C. Avoid freeze-thaw cycles.			
Polyclonal			
0.05% Proclin 300			
IgG			
Affinity purified			
PBS (pH 7.3), 50% glycerol			
Product Description			
Novus Biologicals Rabbit CDKN3 Antibody - Azide and BSA Free (NBP2-92881) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.			
Rabbit			
1033			
CDKN3			
Human, Mouse			
Recombinant fusion protein containing a sequence corresponding to amino acids 1-69 of human CDKN3 (NP_005183.2). MKPPSSIQTSEFDSSDEEPIEDEQTPIHISWLSLSRVNCSQFLGLCALPGCKFKD VRRNVQKDTEELKS			
Product Application Details			
Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry			
Western Blot 1:100 - 1:500, Immunohistochemistry 1:50-1:200, Immunocytochemistry/ Immunofluorescence 1:50 - 1:200, Immunohistochemistry-Paraffin			



	3	
Images		
Western Blot: CDKN3 Antibody - Azide and BSA Free [NBP2-92881] - Western blot analysis of lysates from Mouse liver using CDKN3 Rabbit pAb at 1:2000 dilution. Secondary antibody:HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25 ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection:ECL Basic Kit. Exposuretime:60s.	×	
Western Blot: CDKN3 Antibody - Azide and BSA Free [NBP2-92881] - Western blot analysis of lysates from MCF7 cells, using CDKN3 Rabbit pAb at 1:400 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 60s.	×	
Immunocytochemistry/ Immunofluorescence: CDKN3 Antibody - Azide and BSA Free [NBP2-92881] - Immunofluorescence analysis of MCF7 cells using CDKN3 Rabbit pAb at dilution of 1:100 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) at 1:500 dilution. Blue: DAPI for nuclear staining.	×	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-92881-0.1ml

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-50909-0.1mg Recombinant Human CDKN3 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-92881

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

