# **Product Datasheet**

# Serpin A9/Centerin Antibody - Azide and BSA Free NBP2-93998-0.1ml

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-93998

Updated 11/7/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-93998




#### NBP2-93998-0.1ml

| Serpin A9/Centerin Antibody - Azide and BSA Free |   |
|--|---|
| Product Information                              |   |
| Unit Size  | 0.1 ml  |
| Concentration                                    | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage  | Store at -20C. Avoid freeze-thaw cycles.  |
| Clonality  | Polyclonal  |
| Preservative                                     | 0.01% Thimerosal  |
| Isotype  | IgG   |
| Purity   | Affinity purified   |
| Buffer   | PBS (pH 7.3), 50% glycerol  |
| Product Description                              |   |
| Host   | Rabbit  |
| Gene ID  | 327657  |
| Gene Symbol                                      | SERPINA9  |
| Species  | Human   |
| Immunogen  | Recombinant fusion protein containing a sequence corresponding to amino acids 110-210 of human SERPINA9 (NP_783866.2). TQILQGLGFNLTHTPESAIHQGFQHLVHSLTVPSKDLTLKMGSALFVKKELQLQ ANFLGNVKRLYEAEVFSTDFSNPSIAQARINSHVKKKTQGKVVDIIQ |
| Product Application Details                      |   |
| A 11 .1  |   |

| Product Application Details |                           |
|-----------------------------|---------------------------|
| Applications                | Western Blot              |
| Recommended Dilutions       | Western Blot 1:500-1:2000 |

## **Images**

Western Blot: Serpin A9/Centerin Antibody [NBP2-93998] - Western blot analysis of extracts of Human serum, using Serpin A9/Centerin at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP2-93998-0.1ml

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control CD40 Ligand/TNFSF5 [HRP]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-93998

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

