Product Datasheet

CD36 Antibody (185-1G2) [DyLight 350] NBP2-95271UV

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-95271UV

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-95271UV



NBP2-95271UV

CD36 Antibody (185-1G2) [DyLight 350]

ml
se see the vial label for concentration. If unlisted please contact technical ices.
e at 4C in the dark.
oclonal
1G2
% Sodium Azide
2a Kappa
ght 350
ein A or G purified
M Sodium Borate
se
6
nan
elet & Microvessel Marker
ognizes a protein of 80kDa-90kDa, identified as CD36 (Workshop IV; Code b). Its epitope maps between aa155-183. It is expressed on platelets, ocytes and macrophages, microvascular endothelial cells, erythrocyte ursors, mammary epithelial cells, and some macrophage derived dendritic . CD36 acts as a receptor for thrombospondin (TSP), collagen types I, IV V, P. falciparum malaria-infected erythrocytes, and sickle erythrocytes. It functions as a scavenger receptor, mediating macrophage uptake of ized low-density lipoprotein (LDL) and recognition of apoptotic morphonuclear leukocytes (PMN). CD36 plays a role in platelet aggregation, rophage foam cell development, inflammation, and the tissue ischemia erved in sickle cell disease and cerebral malaria. Note that 1-4% of Japanese East Asia population lack CD36. This monoclonal antibody blocks adhesion falciparum parasitized red blood cells to CD36 and strongly inhibits agen-induced platelet aggregation.
CD36 Antibody (185-1G2) was developed against stimulated human ocytes
ght (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
ght (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
ght (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Cytometry, Immunocytochemistry/Immunofluorescence, unofluorescence



Optimal dilution of this antibody should be experimentally determined.

Application Notes



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-95271UV

NBP1-96981UV Mouse IgG2a Kappa Isotype Control (M2AK) [DyLight 350]

NB400-144PEP CD36 Antibody Blocking Peptide

210-TA-005 TNF-alpha [Unconjugated]

NB400-145PEP CD36 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-95271UV

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

