Product Datasheet

Scaffold attachment factor B2 Antibody - BSA Free NBP2-98007-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-98007

Updated 2/26/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-98007



NBP2-98007-100ul


Scaffold attachment factor B2 Antibody - BSA Free

Scaffold attachment factor B2 Antibody - BSA Free	
100 ul	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.03% Proclin 300	
IgG	
Antigen and protein A Affinity-purified	
PBS	
Product Description	
This antibody can be stored at 2C to 8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.	
Rabbit	
9667	
SAFB2	
Human	
Produced in rabbits immunized with E. coli-derived Human Scaffold attachment factor B2 fragment.	
Product Application Details	
Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin	
Immunocytochemistry/ Immunofluorescence 1:100-1:500, Immunohistochemistry-Paraffin 1:50-1:200	




Images


Immunocytochemistry/Immunofluorescence: Scaffold attachment factor B2 Antibody [NBP2-98007] - Immunofluorescence staining of Scaffold attachment factor B2 in MCF7 cells. Cells were fixed with 4% PFA, permeabilzed with 0.1% Triton X-100 in PBS, blocked with 10% serum, and incubated with rabbit anti-Human Scaffold attachment factor B2 polyclonal antibody (dilution ratio 1:200) at 4C overnight. Then cells were stained with the Alexa Fluor(R)488-conjugated Goat Anti-rabbit IgG Secondary antibody (green). Positive staining was localized to Nucleus.



Immunohistochemistry-Paraffin: Scaffold attachment factor B2 Antibody [NBP2-98007] - Immunochemical staining of human Scaffold attachment factor B2 in human kidney with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.



Immunohistochemistry-Paraffin: Scaffold attachment factor B2 Antibody [NBP2-98007] - Immunochemical staining of human Scaffold attachment factor B2 in human brain with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-98007-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00009667-P01-10ug Recombinant Human Scaffold attachment factor B2 GST (N-Term)

Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-98007

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

