Product Datasheet

Numb Antibody - Azide and BSA Free NBP2-98717-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-98717

Updated 2/26/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-98717



NBP2-98717-100ul

Numb Antibody - Azide and BSA Free

100 ul	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
No Preservative	
IgG	
Antigen and protein A Affinity-purified	
0.2 um filtered solution in PBS	
Product Description	
This antibody can be stored at 2C to 8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.	
Rabbit	
8650	
NUMB	
Human	
Produced in rabbits immunized with a synthetic peptide corresponding to the C-terminus of the Human Numb.	
Western Blot, Immunoprecipitation	
Western Blot 1:500-1:2000, Immunoprecipitation 4-8 uL/mg of lysate	



Images

Western Blot: Numb Antibody [NBP2-98717] - Anti-Numb rabbit polyclonal antibody at 1:500 dilution. Lane A: HEK293 Whole Cell Lysate. Lysates/proteins at 30 ug per lane. Secondary Goat Anti- Rabbit IgG H&L (Dylight 800) at 1/10000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 71 kDa. Observed band size: 70 kDa



Immunoprecipitation: Numb Antibody [NBP2-98717] - Numb was immunoprecipitated using: Lane A: 0.5 mg Jurkat Whole Cell Lysate. Lane B: 0.5 mg HepG2 Whole Cell Lysate. 4 ul anti-Numb rabbit polyclonal antibody and 60 ug of Immunomagnetic beads. Protein G. Primary antibody: Anti-Numb rabbit polyclonal antibody, at 1:100 dilution. Secondary antibody: Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 71 kDa. Observed band size: 95 kDa







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-98717-100ul

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NB500-178PEP	Numb Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-98717

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

