# **Product Datasheet**

## GADD153/CHOP Antibody - Azide and BSA Free NBP2-98741-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-98741

Updated 2/26/2025 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-98741



#### NBP2-98741-100ul

GADD153/CHOP Antibody - Azide and BSA Free


Product Information		
Unit Size	100 ul	
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.	
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	No Preservative	
Isotype	IgG	
Purity	Antigen and protein A Affinity-purified	
Buffer	0.2 um filtered solution in PBS	
Product Description		
Description	This antibody can be stored at 2C to 8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.	
Host	Rabbit	
Gene ID	1649	
Gene Symbol	DDIT3	
Species	Human	
Immunogen	Produced in rabbits immunized with a synthetic peptide corresponding to the C-terminus of the Human GADD153/CHOP.	
Product Application Details		
Applications	Immunocytochemistry/ Immunofluorescence	

Immunocytochemistry/ Immunofluorescence 1:300-1:10000

Recommended	Dilutions
NECOMMENUEU	Dilutions

#### Images

Immunocytochemistry/Immunofluorescence: GADD153/CHOP Antibody [NBP2-98741] - Immunofluorescence staining of GADD153/CHOP in Hela cells. Cells were fixed with 4% PFA, blocked with 10% serum. Then incubated with rabbit anti-human GADD153/CHOP polyclonal antibody (1:1000)(Figure A), incubated with rabbit anti-human GADD153/CHOP polyclonal antibody and antigen (Figure B) at 4C overnight. Then cells were stained with the Alexa Fluor(R)594-conjugated Goat Anti-rabbit IgG secondary antibody (red) and counterstained with DAPI (blue). Positive staining was localized to cytoplasm and nucleus.







## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-98741-100ul

	, , ,
NBP2-13172PEP	GADD153/CHOP Antibody Blocking Peptide
NBP2-24891	Rabbit IgG Isotype Control
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-98741

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

