# **Product Datasheet**

# HDAC7 Antibody - Azide and BSA Free NBP2-98759-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-98759

Updated 2/26/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-98759



#### NBP2-98759-100ul


HDAC7 Antibody - Azide and BSA Free

100 ul
Please see the vial label for concentration. If unlisted please contact technical services.
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Polyclonal
No Preservative
IgG
Antigen and protein A Affinity-purified
0.2 um filtered solution in PBS
This antibody can be stored at 2C to 8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.
Rabbit
51564
HDAC7
Human
Produced in rabbits immunized with a synthetic peptide corresponding to the center region of the Human HDAC7.
Western Blot, Immunoprecipitation
Western Blot, immunoprecipitation




#### **Images**

Western Blot: HDAC7 Antibody [NBP2-98759] - Anti-HDAC7 rabbit polyclonal antibody at 1:500 dilution. Lane A: Raji Whole Cell Lysate. Lysates/proteins at 30 ug per lane. Secondary Goat Anti- Rabbit IgG H&L (Dylight 800) at 1/10000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 103 kDa. Observed band size: 103 kDa



Immunoprecipitation: HDAC7 Antibody [NBP2-98759] - HDAC7 was immunoprecipitated using: Lane A: 0.5 mg Hela Whole Cell Lysate. 1 ul anti-HDAC7 rabbit polyclonal antibody and 15 ul of 50 % Protein G agarose. Primary antibody: Anti-HDAC7 rabbit polyclonal antibody, at 1:500 dilution. Secondary antibody: Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 103 kDa. Observed band size: 103 kDa





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP2-98759-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-03978PEP HDAC7 Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-98759

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

