Product Datasheet

TTF2 Antibody - Azide and BSA Free NBP2-98952-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-98952

Updated 2/26/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-98952



NBP2-98952-100ul

TTF2 Antibody - Azide and BSA Free


| Product Information | |
|-----------------------------|--|
| Unit Size | 100 ul |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | No Preservative |
| Isotype | IgG |
| Purity | Antigen and protein A Affinity-purified |
| Buffer | 0.2 um filtered solution in PBS |
| Product Description | |
| Description | This antibody can be stored at 2C to 8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles. |
| Host | Rabbit |
| Gene ID | 8458 |
| Gene Symbol | TTF2 |
| Species | Human |
| Immunogen | Produced in rabbits immunized with a synthetic peptide corresponding to the N-terminus of the Human TTF2. |
| Product Application Details | |
| Applications | Western Blot, Immunoprecipitation |
| Recommended Dilutions | Western Blot 1:500-1:1000, Immunoprecipitation 1-2 uL/mg of lysate |
| | |



Images

Western Blot: TTF2 Antibody [NBP2-98952] - Anti-TTF2 rabbit polyclonal antibody at 1:500 dilution. Lane A: Jurkat Whole Cell Lysate. Lysates/proteins at 30 ug per lane. Secondary Goat Anti- Rabbit IgG H&L (Dylight 800) at 1/10000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 130 kDa. Observed band size: 145 kDa

Immunoprecipitation: TTF2 Antibody [NBP2-98952] - TTF2 was immunoprecipitated using: Lane A: 0.5 mg Hela Whole Cell Lysate1 ul anti-TTF2 rabbit polyclonal antibody and 15 ul of 50 % Protein G agarose. Primary antibody: Anti-TTF2 rabbit polyclonal antibody, at 1:500 dilution. Secondary antibody: Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 127 kDa. Observed band size: 127 kDa







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-98952-100ul

| HAF008 | Goat anti-Rabbit IgG Secondary Antibody [HRP] |
|---------------|---|
| NB7160 | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| NBP2-24891 | Rabbit IgG Isotype Control |
| NBP1-83148PEP | TTF2 Recombinant Protein Antigen |
| | |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-98952

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

