Product Datasheet

BLMH/Bleomycin Hydrolase Antibody - Azide and BSA Free NBP2-99780-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-99780

Updated 2/26/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-99780



NBP2-99780-100ul


BLMH/Bleomycin Hydrolase Antibody - Azide and BSA Free

BLIVIER/Bleomycin Hydrolase Antibody - Azide and BSA Free	
Product Information	
100 ul	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
No Preservative	
IgG	
Antigen and protein A Affinity-purified	
0.2 um filtered solution in PBS	
Product Description	
This antibody can be stored at 2C to 8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.	
Rabbit	
642	
BLMH	
Human	
Produced in rabbits immunized with purified, recombinant Human BLMH/Bleomycin Hydrolase (Accession#: NP_000377.1; Ser 2-Glu 455).	
Product Application Details	
Western Blot, ELISA, Immunoprecipitation	
Western Blot 1:500-1:2000, ELISA 1:5000-1:10000, Immunoprecipitation 1-4 uL/mg of lysate	




Images

Western Blot: BLMH/Bleomycin Hydrolase Antibody [NBP2-99780] - Anti-BLMH/Bleomycin Hydrolase rabbit polyclonal antibody at 1:500 dilution. Lane A: 293T Whole Cell Lysate. Lysates/proteins at 30 ug per lane. Secondary Goat Anti-Rabbit IgG H&L (Dylight 800) at 1/10000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 53 kDa. Observed band size: 53 kDa



Immunoprecipitation: BLMH/Bleomycin Hydrolase Antibody [NBP2-99780] - BLMH/Bleomycin Hydrolase was immunoprecipitated using: Lane A: 0.5 mg HepG2 Whole Cell Lysate. 2 ul anti-BLMH/Bleomycin Hydrolase rabbit polyclonal antibody and 15 ul of 50 % Protein G agarose. Primary antibody: Anti-BLMH/Bleomycin Hydrolase rabbit polyclonal antibody, at 1:200 dilution. Secondary antibody: Clean-Bloto IP Detection Reagent (HRP) at 1:1000 dilution. Developed using the DAB staining technique. Performed under reducing conditions. Predicted band size: 53 kDa. Observed band size: 53 kDa





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-99780-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-88640PEP BLMH/Bleomycin Hydrolase Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-99780

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

