Product Datasheet

B-Raf Antibody (IHC600) - V600-E Mutation NBP3-00517-0.1ml

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-00517

Updated 8/8/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-00517



NBP3-00517-0.1ml

B-Raf Antibody (IHC600) - V600-E Mutation

Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	IHC600
Preservative	0.1% Sodium Azide
Isotype	IgG2b Kappa
Purity	Protein A or G purified from cell culture supernatant
Buffer	Tris Buffer, pH 7.3 - 7.7, 1% BSA
Product Description	
Host	Mouse
Gene ID	673
Gene Symbol	BRAF
Species	Human
Immunogen	A peptide covering the V600E mutation.
Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry 1:30, Immunohistochemistry-Paraffin 1:30
Application Notes	Visualization of the antigen present in tissue sections is accomplished in a multi- step immunohistochemical staining process, in conjunction with a horseradish peroxidase (HRP) or alkaline phosphatase (AP) linked detection system. Positive control: Colorectal Adenocarcinoma, Thyroid Papillary Carcinoma with the BRAF V600E Mutation.

Images

Immunohistochemistry-Paraffin: B-Raf Antibody (IHC600) - V600-E Mutation [NBP3-00517] - Staining of B-Raf Antibody (IHC600) in thyroid papillary carcinoma with BRAF V600-E mutation





Procedures

Immunohistochemistry-Paraffin protocol for B-Raf Antibody (NBP3-00517)

Immunohistochemistry-Paraffin Protocol for B-Raf Antibody (NBP3-00517): https://www.novusbio.com/products/b-rafantibody-ihc600_nbp3-00517

Immunohistochemistry Protocol

Specimen Collection and Preparation for Analysis

Each tissue section should be fixed with 10% neutral buffered formalin, cut to the applicable thickness (4um), and placed on a glass slide that is positively charged. The prepared slide may then be baked for a minimum of 30 minutes in a 53-65 degrees C oven (do not exceed 24 hours).

Recommended Staining Protocols

Manual Use:

1. Blocking: If HRP is used, block with peroxidase blocking solution for 10 to 15 minutes at room temperature. Use alkaline phosphatase blocking solution if using an AP system.

2. Primary Antibody: Apply antibody directly (Predilute) or dilute antibody at 1:30 (Concentrate) before applying. Incubate antibody for 30 to 60 minutes at room temperature or overnight at 4C.

3. Secondary Antibody: Incubate for 20 to 30 minutes at room temperature.

4. Substrate Development: Incubate DAB or Fast Red for 5 to 10 minutes at room temperature.

5. Counterstain: Counterstain with hematoxylin for 0.5 to 5 minutes, depending on the hematoxylin used. Rinse with distilled water and bluing solution for 30 seconds.

6. Dehydrate and apply coverslip.

For all automated IHC staining systems, refer to the corresponding user manual for specific instructions.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-00517-0.1ml

NBP2-51931-0.1mg	Recombinant Human B-Raf His Protein
NBP1-43317-0.5mg	Mouse IgG2b Kappa Light Chain Isotype Control (MG2b)
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-00517

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

