Product Datasheet

NDUFB4 Antibody - Azide and BSA Free NBP3-03538-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-03538

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-03538



NBP3-03538-100ul

NDUER4 Antibody - Azide and RSA Free

| NDUFB4 Antibody - Azide and BSA Free | |
|--------------------------------------|--|
| Product Information | |
| Unit Size | 100 ul |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.01% Thimerosal |
| Isotype | IgG |
| Purity | Affinity purified |
| Buffer | PBS (pH 7.3), 50% glycerol |
| Product Description | |
| Description | Novus Biologicals Knockout (KO) Validated Rabbit NDUFB4 Antibody - Azide and BSA Free (NBP3-03538) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee. |
| Host | Rabbit |
| Gene ID | 4710 |
| Gene Symbol | NDUFB4 |
| Species | Human, Mouse, Rat |
| Immunogen | Recombinant fusion protein containing a sequence corresponding to amino acids 1-90 of human NDUFB4 (NP_001161803.1). MSFPKYKPSSLRTLPETLDPAEYNISPETRRAQAERLAIRAQLKREYLLQYNDP NRRGLIENPALLRWAYARTINVYPNFRPTPKNSLMG |
| Product Application Details | |
| Applications | Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Knockout Validated |
| Recommended Dilutions | Western Blot 1:500 - 1:2000, Immunohistochemistry 1:50 - 1:200, |

| • • | |
|-----------------------|---|
| Applications | Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Knockout Validated |
| Recommended Dilutions | Western Blot 1:500 - 1:2000, Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 1:50 - 1:100, Immunohistochemistry-Paraffin, Knockout Validated |


Images

Western Blot: NDUFB4 Antibody [NBP3-03538] - Analysis of extracts of various cell lines, using NDUFB4 antibody at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit.







Immunocytochemistry/Immunofluorescence: NDUFB4 Antibody [NBP3-03538] - Analysis of U-2 OS cells using NDUFB4 antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




Immunohistochemistry-Paraffin: NDUFB4 Antibody [NBP3-03538] - Immunohistochemistry of paraffin-embedded rat kidney using [KO Validated] NDUFB4 Rabbit pAb (NBP3-03538) at dilution of 1:150 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




Immunocytochemistry/Immunofluorescence: NDUFB4 Antibody [NBP3-03538] - Analysis of L929 cells using NDUFB4 antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




Immunohistochemistry-Paraffin: NDUFB4 Antibody [NBP3-03538] - Immunohistochemistry of paraffin-embedded human liver using [KO Validated] NDUFB4 Rabbit pAb (NBP3-03538) at dilution of 1:150 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Immunohistochemistry-Paraffin: NDUFB4 Antibody [NBP3-03538] - Immunohistochemistry of paraffin-embedded mouse kidney using [KO Validated] NDUFB4 Rabbit pAb (NBP3-03538) at dilution of 1:150 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Western Blot: NDUFB4 Antibody [NBP3-03538] - Analysis of extracts from normal (control) and NDUFB4 knockout (KO) HeLa cells, using NDUFB4 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-03538-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-23261 Recombinant Human NDUFB4 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-03538

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

