

Product Datasheet

Tyrosine Hydroxylase Antibody

NBP3-05555-100ul

Unit Size: 100 ul

Store at 4C.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-05555

Updated 5/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-05555




NBP3-05555-100ul**Tyrosine Hydroxylase Antibody**

Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C.
Clonality	Polyclonal
Preservative	0.035% Sodium Azide
Isotype	IgY
Purity	IgY purified
Buffer	Supplied as an aliquot of IgY preparation
Target Molecular Weight	58 kDa
Product Description	
Host	Chicken
Gene ID	7054
Gene Symbol	TH
Species	Human, Mouse, Rat
Immunogen	Full length human Tyrosine Hydroxylase as expressed in and purified from E. coli.
Notes	Chicken products cannot be exported to Canada.
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:50000, Immunohistochemistry 1:5000, Immunocytochemistry/ Immunofluorescence 1:5000




Images

Western Blot: Tyrosine Hydroxylase Antibody [NBP3-05555] - Western blot analysis of different tissue lysates using Tyrosine Hydroxylase Antibody at a dilution of 1:50,000 in green: [1] protein standard (red), [2] rat brain caudate/putmen region, [3] rat brain midbrain, [4] whole mouse brain and brain stem excluding cerebellum, and [5] segment of cow midbrain. Strong band at about 58kDa corresponds to the Tyrosine Hydroxylase protein.



Immunocytochemistry/Immunofluorescence: Tyrosine Hydroxylase Antibody [NBP3-05555] - Immunofluorescent analysis of rat brain section stained with Tyrosine Hydroxylase Antibody at a dilution of 1:5,000, in green. The blue is Hoechst staining of nuclear DNA. Tyrosine Hydroxylase Antibody stains the dopaminergic TH-positive neurons and their processes of the substantia nigra.



Publications

Reyes AAA Role of Chronic Stress-Induced Neuroinflammation in Rodent Locus Coeruleus Physiology and Anxiety-Like Behaviors Thesis 2023-01-01 (IHC-FrFI, Rat)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP3-05555-100ul

BAF010	Goat anti-Chicken IgY Secondary Antibody [Biotin]
NB7276	Goat anti-Chicken IgM Heavy Chain Secondary Antibody
NBP1-42461	Recombinant Human Tyrosine Hydroxylase His Protein
212-GD-010	GDNF [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-05555

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

