Product Datasheet

DHRS3 Antibody - BSA Free NBP3-06444-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-06444

Updated 2/26/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-06444



NBP3-06444-100ul


DHRS3 Antibody - BSA Free

Unit Size100 ulConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.03% Proclin 300IsotypeIgGPurityAntigen and protein A Affinity-purifiedBufferPBSProduct DescriptionThis antibody can be stored at 2C-8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.HostRabbitGene ID9249Gene SymbolDHRS3SpeciesHumanImmunogenVestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin 1:50-1:200Product ApplicationsWestern Blot, 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100- 1:500, Immunohistochemistry-Paraffin 1:50-1:200	Product Information	
services.StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.03% Proclin 300IsotypeIgGPurityAntigen and protein A Affinity-purifiedBufferPBSProduct DescriptionThis antibody can be stored at 2C-8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.HostRabbitGene ID9249Gene SymbolDHRS3SpeciesHumanImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Unit Size	100 ul
cycles.ClonalityPolyclonalPreservative0.03% Proclin 300IsotypeIgGPurityAntigen and protein A Affinity-purifiedBufferPBSProduct DescriptionThis antibody can be stored at 2C-8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.HostRabbitGene ID9249Gene SymbolDHRS3SpeciesHumanImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsWestern Blot, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/Immunofluorescence 1:100-	Concentration	•
Preservative0.03% Proclin 300IsotypeIgGPurityAntigen and protein A Affinity-purifiedBufferPBSProduct DescriptionThis antibody can be stored at 2C-8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.HostRabbitGene ID9249Gene SymbolDHRS3SpeciesHumanImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Storage	
IsotypeIgGPurityAntigen and protein A Affinity-purifiedBufferPBSProduct DescriptionThis antibody can be stored at 2C-8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.HostRabbitGene ID9249Gene SymbolDHRS3SpeciesHumanImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Clonality	Polyclonal
PurityAntigen and protein A Affinity-purifiedPurityAntigen and protein A Affinity-purifiedBufferPBSProduct DescriptionThis antibody can be stored at 2C-8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.HostRabbitGene ID9249Gene SymbolDHRS3SpeciesHumanImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Preservative	0.03% Proclin 300
Buffer PBS Product Description This antibody can be stored at 2C-8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles. Host Rabbit Gene ID 9249 Gene Symbol DHRS3 Species Human Immunogen Produced in rabbits immunized with E. coli-derived Human DHRS3 fragment. Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Isotype	IgG
Product DescriptionDescriptionThis antibody can be stored at 2C-8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.HostRabbitGene ID9249Gene SymbolDHRS3SpeciesHumanImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Purity	Antigen and protein A Affinity-purified
DescriptionThis antibody can be stored at 2C-8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.HostRabbitGene ID9249Gene SymbolDHRS3SpeciesHumanImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Buffer	PBS
activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.HostRabbitGene ID9249Gene SymbolDHRS3SpeciesHumanImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Product Description	
Gene ID9249Gene SymbolDHRS3SpeciesHumanImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Description	activity. Antibody products are stable for twelve months from date of receipt
Gene SymbolDHRS3SpeciesHumanImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Host	Rabbit
Species Human Immunogen Produced in rabbits immunized with E. coli-derived Human DHRS3 fragment. Product Application Details Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Gene ID	9249
ImmunogenProduced in rabbits immunized with E. coli-derived Human DHRS3 fragment.Product Application DetailsApplicationsWestern Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Gene Symbol	DHRS3
Product Application Details Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Species	Human
Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Immunogen	Produced in rabbits immunized with E. coli-derived Human DHRS3 fragment.
Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-	Product Application Details	
	Applications	
	Recommended Dilutions	




Images

Western Blot: DHRS3 Antibody [NBP3-06444] - Anti-DHRS3 rabbit polyclonal antibody at 1:500 dilution. Lane A: A375 Whole Cell Lysate Lane B: HepG2 Whole Cell Lysate Lysates/proteins at 30 ug per lane. Secondary: Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions.



Immunocytochemistry/Immunofluorescence: DHRS3 Antibody [NBP3-06444] - Immunofluorescence staining of DHRS3 in U2OS cells. Cells were fixed with 4% PFA, permeabilzed with 0.1% Triton X-100 in PBS, blocked with 10% serum, and incubated with rabbit anti-Human DHRS3 polyclonal antibody (dilution ratio 1:200) at 4 degrees celsius overnight. Then cells were stained with Alexa Fluor (TM) 488-conjugated Goat Antirabbit IgG secondary antibody (green) and counterstained with DAPI (blue). Positive staining was localized to Cytoplasm and Nucleus.

Immunohistochemistry-Paraffin: DHRS3 Antibody [NBP3-06444] -Immunochemical staining of human DHRS3 in human kidney with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-06444-100ul

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00009249-P01-10ug	Recombinant Human DHRS3 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-06444

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

