Product Datasheet

IRF7 Antibody [CoraFluor™ 1] NBP3-06987CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-06987CL1

Updated 8/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-06987CL1



NBP3-06987CL1

IRF7 Antibody [CoraFluor™ 1]

Unit Size	IRF7 Antibody [CoraFluor™ 1]		
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Do not freeze. Clonality Polyclonal Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emils at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1 canabise of the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology flyer. Host Rabbit Gene ID 3665 Gene Symbol IRF7 Species Human, Mouse, Rat Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD), Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD), NB93-06987 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Antibody was raised against a peptide corresponding to 17 amino acids near the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details	Product Information		
Services. Storage Stora at 4C in the dark. Do not freeze. Clonality Polyclonal Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TIRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm 462 nm, it is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, temary complex, protein-protein interaction and protein quantification assays. CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology flyer. Rabbit Gene ID 3665 Gene Symbol IRF7 Species Human, Mouse, Rat Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform 4503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD), Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-0687 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Immunogen Antibody was raised against a peptide corresponding to 17 amino acids are the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes Product Application Details Applications	Unit Size	0.1 ml	
Clonality Polyclonal Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology flyer. Host Rabbit Gene ID 3665 Gene Bymbol IRF7 Species Human, Mouse, Rat Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has Poelog87 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Immunogen Antibody was raised against a peptide corresponding to 17 amino acids near the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/	Concentration	·	
Preservative No Preservative	Storage	Store at 4C in the dark. Do not freeze.	
IgG	Clonality	Polyclonal	
CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. Can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology flyer. Rabbit Gene ID 3665 Gene Symbol IRF7 Species Human, Mouse, Rat Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform (456aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-06987 can detect human isoforms and mouse, and possibly can detect rat. Immunogen CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications	Preservative	No Preservative	
Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology flyer. Host Rabbit Gene ID 3665 Gene Symbol IRF7 Species Human, Mouse, Rat Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-06987 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Antibody was raised against a peptide corresponding to 17 amino acids near the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications	Isotype	IgG	
PBS	Conjugate	CoraFluor 1	
Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology flyer. Host Rabbit Gene ID 3665 Gene Symbol IRF7 Species Human, Mouse, Rat Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-06987 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Antibody was raised against a peptide corresponding to 17 amino acids near the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications	Purity	Protein A purified	
CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. CoraFluor(TM) 1. amine reactive	Buffer	PBS	
Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. CoraFluor(TM) 1. amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) TR-FRET technology flyer. Host Gene ID 3665 Gene Symbol IRF7 Species Human, Mouse, Rat Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-06987 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Antibody was raised against a peptide corresponding to 17 amino acids near the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications	Product Description		
Gene ID 3665 Gene Symbol IRF7 Species Human, Mouse, Rat Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-06987 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Antibody was raised against a peptide corresponding to 17 amino acids near the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/	Description	Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive	
Gene Symbol IRF7 Species Human, Mouse, Rat Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-06987 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Antibody was raised against a peptide corresponding to 17 amino acids near the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/	Host	Rabbit	
Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-06987 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Antibody was raised against a peptide corresponding to 17 amino acids near the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/	Gene ID	3665	
Specificity/Sensitivity Several isoforms of IRF7 are known to exist. Human IRF7 has 4 isoforms, including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-06987 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Antibody was raised against a peptide corresponding to 17 amino acids near the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/	Gene Symbol	IRF7	
including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-06987 can detect human isoforms and mouse, and possibly can detect rat. Immunogen Antibody was raised against a peptide corresponding to 17 amino acids near the center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/	Species	Human, Mouse, Rat	
center of human IRF7. The immunogen is located within amino acids 200-230 of IRF7. Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/	Specificity/Sensitivity	including isoform A (503aa, 54kD), isoform B (474aa, 52kD), isoform C (164aa, 18kD) and isoform D (516aa, 56kD). Mouse IRF7 has one isoform (457aa, 51kD) and Rat IRF7 also has one isoform (456aa, 51kD). NBP3-06987 can detect	
only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/	Immunogen	center of human IRF7. The immunogen is located within amino acids 200-230 of	
Applications Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/	Notes	only under agreement from Massachusetts General Hospital. US patent	
	Product Application Details		
	Applications		



	Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Knockout Validated
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-06987CL1

NBP2-38678PEP IRF7 Recombinant Protein Antigen

210-TA-005 TNF-alpha [Unconjugated]
NBL1-12037 IRF7 Overexpression Lysate

M6000B-1 IL-6 [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-06987CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

