# **Product Datasheet**

# Cytokeratin 8/18 Antibody (KRT8.18/2297R) NBP3-07175-100ug

Unit Size: 100 ug Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-07175

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-07175



# NBP3-07175-100ug


| Cutakaratin 9/19 Antihadu (KDT9 19/2207D) |  |
|---|--|
| Cytokeratin 8/18 Antibody (KRT8.18/2297R) |  |
| Product Information                       |  |
| Unit Size                                 | 100 ug   |
| Concentration                             | 0.2 mg/ml  |
| Storage                                   | Store at 4C.   |
| Clonality                                 | Monoclonal   |
| Clone                                     | KRT8.18/2297R  |
| Preservative                              | 0.05% Sodium Azide   |
| Isotype                                   | IgG  |
| Purity                                    | Protein A or G purified  |
| Buffer                                    | 10 mM PBS with 0.05% BSA   |
| Product Description                       |  |
| Description                               | 200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08918)  Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to   |
|   | -80C.  |
| Host                                      | Rabbit   |
| Gene ID                                   | 3856   |
| Gene Symbol                               | KRT8   |
| Species                                   | Human  |
| Specificity/Sensitivity                   | Cytokeratin 8 (CK8) belongs to the type II (or B or basic) subfamily of high molecular weight cytokeratins and exists in combination with cytokeratin 18 (CK18). This monoclonal antibody cocktail recognizes all simple epithelia including glandular epithelium, for example thyroid, female breast, gastrointestinal tract, respiratory tract, and urogenital tract including transitional epithelium. All adenocarcinomas and most squamous carcinomas are positive but keratinizing squamous carcinomas are usually negative. This antibody is useful in demonstrating the presence of Paget cells; there is very little keratin 18 in the normal epidermis so only Paget cells are stained. Immunohistochemical staining with this monoclonal antibody is indistinguishable from that obtained with monoclonal antibody 5D3. |
| Immunogen                                 | Recombinant full-length human Cytokeratin 8/18 protein   |
| Product Application Details               |  |
| Applications                              | Immunohistochemistry-Paraffin  |
| Recommended Dilutions                     | Immunohistochemistry-Paraffin 1-2 ug/ml  |
| Application Notes                         | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.  |



Optimal dilution for a specific application should be determined.

## **Images**

Immunohistochemistry-Paraffin: Cytokeratin 8/18 Antibody (KRT8.18/2297R) [NBP3-07175] - Formalin fixed paraffin embedded human colon stained with Cytokeratin 8/18 Rabbit Recombinant Monoclonal Antibody (KRT8.18/2297R).





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP3-07175-100ug

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

8184-CK-050 Choline Kinase beta [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-07175

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

