Product Datasheet

Inhibin alpha Antibody (INHA/4266) NBP3-07458-100ug

Unit Size: 100 ug Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-07458

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-07458




NBP3-07458-100ug

Inhibin alpha Antibody (INHA/4266)	
Product Information	
Unit Size	100 ug
Concentration	0.2 mg/ml
Storage	Store at 4C.
Clonality	Monoclonal
Clone	INHA/4266
Preservative	0.05% Sodium Azide
Isotype	lgG2a
Purity	Protein A or G purified
Buffer	1 mM PBS with 0.05% BSA
Target Molecular Weight	47 kDa
Product Description	
	200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 1 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08780) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80 C.
Host	Mouse
Gene ID	3623
Gene Symbol	INHA
Species	Human
Marker	Gonadal Cell Marker
	A synthetic peptide (around aa73-96) of alpha-subunit of human Inhibin alpha protein (exact sequence is proprietary) (Uniprot: P05111)
Product Application Details	
Applications	Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry-Paraffin 1-2 ug/ml
	Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.
Applications Recommended Dilutions Application Notes	Immunohistochemistry-Paraffin 1-2 ug/ml Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Stain of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1 EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.




Images

Immunohistochemistry-Paraffin: Inhibin alpha Antibody (INHA/4266) [NBP3-07458] - Formalin-fixed, paraffin-embedded human testis stained with Inhibin alpha Mouse Monoclonal Antibody (INHA/4266).



Immunohistochemistry-Paraffin: Inhibin alpha Antibody (INHA/4266) [NBP3-07458] - Formalin-fixed, paraffin-embedded human testis stained with Inhibin alpha Mouse Monoclonal Antibody (INHA/4266).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-07458-100ug

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96778 Mouse IgG2a Isotype Control (M2A)

NBP1-87563PEP Inhibin alpha Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-07458

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

