Product Datasheet

Desmin Antibody (DES/2960R) NBP3-07640-100ug

Unit Size: 100 ug Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-07640

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-07640



NBP3-07640-100ug


Desmin Antibody (DES/2960R)

no A-cida
no A-cida
no A-cida
no Ai-d-a
A —: d a
A i d -
n Azide
G purified
vith 0.05% BSA
antibody purified from Bioreactor Concentrate by Protein A or G. 0 mM PBS with 0.05% BSA & 0.05% azide. Also available SA & azide at 1.0 mg/ml. (NBP3-08664) azide - store at 2 to 8C. Antibody without azide - store at -20 to
Chicken, Hamster
Marker Tarker
Intermediate filaments (IFs) constitute a diverse group of proteins essed in a highly tissue-specific manner. IFs are constructed from lical coiled-coil molecules arranged on an imperfect helical lattice, in widely used as markers for distinguishing individual cell types and identifying the origins of metastatic tumors. Vimentin is an IF er of cells originating in the mesenchyme. Vimentin and Desmin, a III IF, are both expressed during skeletal muscle development. 9 amino acid protein found near the Z line in sarcomeres, is ore frequently in adult differentiated state tissues. Anti-desmin of normal smooth, skeletal, and cardiac muscles. Antibody reacts has, leiomyosarcoma, rhabdomyomas, rhabdomyosarcoma, and cells of glomus tumors of the skin.
human full-length Desmin protein (Uniprot: P17661)
chemistry-Paraffin
chemistry-Paraffin 1-2 ug/ml
chemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining ed tissues is enhanced by heating tissue sections in 10mM Tris TA, pH 9.0 for 45 min at 95C followed by cooling at RT for 20 on for a specific application should be determined.



Images

Immunohistochemistry-Paraffin: Desmin Antibody (DES/2960R) [NBP3-07640] - Formalin-fixed, paraffin-embedded human Skeletal Muscle stained with Desmin Rabbit Recombinant Monoclonal Antibody (DES/2960R).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-07640-100ug

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00001674-Q01-10ug Recombinant Human Desmin GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-07640

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

