## **Product Datasheet**

### ARF1 Antibody (3F1) NBP3-07761-100ug

Unit Size: 100 ug

Store at 4C.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-07761

Updated 7/16/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-07761



#### NBP3-07761-100ug

ARF1 Antibody (3F1)

of Human ARF1. (Uniprot: P84077)         Product Application Details         Applications       Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin         Recommended Dilutions       Western Blot 1-2 ug/ml, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA).         Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	, ,	
Concentration       0.2 mg/ml         Storage       Store at 4C.         Clonality       Monoclonal         Clone       3F1         Preservative       0.05% Sodium Azide         Isotype       IgG2a Kappa         Purity       Protein A or G purified         Buffer       10 mM PBS with 0.05% BSA         Target Molecular Weight       20 kDa         Product Description       200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.         Host       Mouse         Gene ID       375         Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Western Blot, ELISA, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry/ Immunofluorescence, 1-2 ug/ml, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunofluorescence, Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Immunohistochemistry/ Im	Product Information	
Storage       Store at 4C.         Clonality       Monoclonal         Clone       3F1         Preservative       0.05% Sodium Azide         Isotype       IgG2a Kappa         Purity       Protein A or G purified         Buffer       10 mM PBS with 0.05% BSA         Target Molecular Weight       20 kDa         Product Description       200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341)         Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.         Host       Mouse         Gene ID       375         Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Western Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry/ Paraffin         Recommended Dilutions       Western Blot 1-2 ug/ml, ELISA, Immunohistochemistry, Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA), Immunohistochemistry/ Paraffin 1-2 ug/ml for 30 minutes at RT. Staining of formalin-fixed issues	Unit Size	100 ug
Clonality         Monoclonal           Clone         3F1           Preservative         0.05% Sodium Azide           Isotype         IgG2a Kappa           Purity         Protein A or G purified           Buffer         10 mM PBS with 0.05% BSA           Target Molecular Weight         20 kDa           Product Description         200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G.           Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341)           Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.           Host         Mouse           Gene ID         375           Gene Symbol         ARF1           Species         Human, Mouse, Rat           Marker         Golgi Apparatus Marker           Immunogen         Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)           Product Application Details         Western Blot, ELISA, Immunocytochemistry/ Immunocytochemistry/Paraffin           Recommended Dilutions         Western Blot 1-2 ug/ml, ELISA, Immunohistochemistry-Paraffin           Recommended Dilutions         Western Blot 1-2 ug/ml, Immunohistochemistry-Paraffin           Application Notes         ELISA: For coating, order antibody without BSA). Immunohistochemistr	Concentration	0.2 mg/ml
Clone       3F1         Preservative       0.05% Sodium Azide         Isotype       IgG2a Kappa         Purity       Protein A or G purified         Buffer       10 mM PBS with 0.05% BSA         Target Molecular Weight       20 kDa         Product Description       200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341)         Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.         Host       Mouse         Gene ID       375         Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunocytochemistry/ Immunocytochemistry/ Immunocytochemistry/ Immunohistochemistry, Immunocytochemistry/ Immunocytochemistry/ Immunocytochemistry/ Immunohistochemistry, Immuno	Storage	Store at 4C.
Preservative         0.05% Sodium Azide           Isotype         IgG2a Kappa           Purity         Protein A or G purified           Buffer         10 mM PBS with 0.05% BSA           Target Molecular Weight         20 kDa           Product Description         200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341)           Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.           Host         Mouse           Gene ID         375           Gene Symbol         ARF1           Species         Human, Mouse, Rat           Marker         Golgi Apparatus Marker           Immunogen         Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 or of Human ARF1. (Uniprot: P84077)           Product Application Details         Western Blot, ELISA, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin 1-2 ug/ml           Application Notes         ELISA: For coating, order antibody without BSA). Immunohistochemistry Paraffin 1-2 ug/ml           Application Notes         ELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed) 1-2 ug/ml for 30 minutes at RT. Staining of formalin-fixed itsues erequires heating tisue sections in 10mM Tris with 1mM <th>Clonality</th> <th>Monoclonal</th>	Clonality	Monoclonal
Isotype       IgG2a Kappa         Purity       Protein A or G purified         Buffer       10 mM PBS with 0.05% BSA         Target Molecular Weight       20 kDa         Product Description       200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341)         Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.         Host       Mouse         Gene ID       375         Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Western Blot, ELISA, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin         Recommended Dilutions       Western Blot 1-2 ug/ml, ELISA, Immunohistochemistry.Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Clone	3F1
Purity       Protein A or G purified         Buffer       10 mM PBS with 0.05% BSA         Target Molecular Weight       20 kDa         Product Description       200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341)         Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.         Host       Mouse         Gene ID       375         Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Western Blot, ELISA, Immunohistochemistry-Paraffin         Recommended Dilutions       Western Blot 1-2 ug/ml, ELISA, Immunohistochemistry, Immunofucrescence, Immunohistochemistry, Paraffin 1-2 ug/ml         A	Preservative	0.05% Sodium Azide
Buffer       10 mM PBS with 0.05% BSA         Target Molecular Weight       20 kDa         Product Description       200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341)         Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.         Host       Mouse         Gene ID       375         Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions         Vestern Blot 1-2 ug/ml, ELISA, Immunocytochemistry, Immunofluorescence, Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA). Immunohistochemistry-Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA). Immunohistochemistry Communohistochemistry Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA). Immunohistochemistry Paraffin 1-2 ug/ml	Isotype	IgG2a Kappa
Target Molecular Weight       20 kDa         Product Description       200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341)         Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.         Host       Mouse         Gene ID       375         Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Paraffin 1-2 ug/ml         Recommended Dilutions       Western Blot 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA). Immunohistochemistry-Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA). Immunohistochemistry (formalin-fixed) 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Purity	Protein A or G purified
Product Description         Description       200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341)         Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.         Host       Mouse         Gene ID       375         Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin         Recommended Dilutions       Western Blot 1-2 ug/ml, ELISA, Immunohistochemistry. Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Buffer	10 mM PBS with 0.05% BSA
Description       200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.         Host       Mouse         Gene ID       375         Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic petide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin         Recommended Dilutions       Western Blot 1-2 ug/ml, ELISA, Immunohistochemistry-Paraffin         Application Notes       ELISA: For coating, order antibody without BSA). Immunofluorescence 1-2 ug/ml for 30 minutes at RT. Staining of formalin-fixed 1: 1-2 ug/ml for 30 minutes at RT. Staining of formalin-fixed 1: sues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Target Molecular Weight	20 kDa
Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.HostMouseGene ID375Gene SymbolARF1SpeciesHuman, Mouse, RatMarkerGolgi Apparatus MarkerImmunogenSynthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA, Immunohistochemistry-Paraffin Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/mlApplication NotesELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Product Description	
HostMouseGene ID375Gene SymbolARF1SpeciesHuman, Mouse, RatMarkerGolgi Apparatus MarkerImmunogenSynthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Paraffin 1-2 ug/mlApplication NotesELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Description	Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08341) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to
Gene ID       375         Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Applications         Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin         Recommended Dilutions       Western Blot 1-2 ug/ml, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Host	
Gene Symbol       ARF1         Species       Human, Mouse, Rat         Marker       Golgi Apparatus Marker         Immunogen       Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)         Product Application Details       Applications         Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin         Recommended Dilutions       Western Blot 1-2 ug/ml, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry-Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.		
SpeciesHuman, Mouse, RatMarkerGolgi Apparatus MarkerImmunogenSynthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA, Immunohistochemistry-Paraffin 1-2 ug/mlApplication NotesELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Gene Symbol	
MarkerGolgi Apparatus MarkerImmunogenSynthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)Product Application DetailsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA, Immunohistochemistry, Immunohistochemistry-ParaffinApplication NotesELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.		
of Human ARF1. (Uniprot: P84077)         Product Application Details         Applications       Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin         Recommended Dilutions       Western Blot 1-2 ug/ml, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml         Application Notes       ELISA: For coating, order antibody without BSA).         Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	-	Golgi Apparatus Marker
ApplicationsWestern Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/mlApplication NotesELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Immunogen	Synthetic peptide SNQLRNQ, corresponding to C terminal amino acids 174-180 of Human ARF1. (Uniprot: P84077)
Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 1-2 ug/ml, ELISA, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/mlApplication NotesELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Product Application Details	
Application NotesImmunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/mlApplication NotesELISA: For coating, order antibody without BSA). Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Applications	
Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.	Recommended Dilutions	
	Application Notes	Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM

www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-07761-100ug

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96981-0.5mg	Mouse IgG2a Kappa Isotype Control (M2AK)
NBP1-45297-0.1mg	Recombinant Human ARF1 His Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-07761

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

