Product Datasheet

Prohibitin Antibody (PHB/1882) NBP3-07833-100ug

Unit Size: 100 ug Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-07833

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-07833




NBP3-07833-100ug

| Prohibitin Antibody (PHB/1882) | |
|--------------------------------|---|
| Product Information | |
| Unit Size | 100 ug |
| Concentration | 0.2 mg/ml |
| Storage | Store at 4C. |
| Clonality | Monoclonal |
| Clone | PHB/1882 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG1 Kappa |
| Purity | Protein A or G purified |
| Buffer | 10 mM PBS with 0.05% BSA |
| Target Molecular Weight | 30 kDa |
| Product Description | |
| Description | 200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08723) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. |
| Host | Mouse |
| Gene ID | 5245 |
| Gene Symbol | PHB1 |
| Species | Human |
| Marker | Mitochondrial Marker |
| Immunogen | Recombinant human Prohibitin protein fragment (aa167-261) (exact sequence is proprietary) (Uniprot: P35232) |
| Product Application Details | |
| Applications | Western Blot, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Western Blot 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml |
| Application Notes | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined. |
| | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Stair of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1 EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. |




Images


Western Blot: Prohibitin Antibody (PHB/1882) [NBP3-07833] - Western Blot Analysis of human liver tissue lysates using Prohibitin Mouse Monoclonal Antibody (PHB/1882).




Immunohistochemistry-Paraffin: Prohibitin Antibody (PHB/1882) [NBP3-07833] - Formalin-fixed, paraffin-embedded human Liver stained with Prohibitin Mouse Monoclonal Antibody (PHB/1882).



Western Blot: Prohibitin Antibody (PHB/1882) [NBP3-07833] - Western Blot Analysis of (1) A549 (2) K562 (3) A431 & (4) MCF-7 cell lysates using Prohibitin Mouse Monoclonal Antibody (PHB/1882).



Western Blot: Prohibitin Antibody (PHB/1882) [NBP3-07833] - Western Blot Analysis of human Ramos, HEK293, K562, Jurkat & HepG2 cell lysates using Prohibitin Mouse Monoclonal Antibody (PHB/1882).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-07833-100ug

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP2-23364 Recombinant Human Prohibitin His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-07833

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

