Product Datasheet

Desmoglein-3 Antibody (DSG3/1535) NBP3-07873-100ug

Unit Size: 100 ug

Store at 4C.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-07873

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-07873



NBP3-07873-100ug

Desmoglein-3 Antibody (DSG3/1535)

100 ug		
0.2 mg/ml		
Store at 4C.		
Monoclonal		
DSG3/1535		
0.05% Sodium Azide		
IgG1 Kappa		
Protein A or G purified		
10 mM PBS with 0.05% BSA		
130 kDa		
Product Description		
200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP3-08409) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.		
Mouse		
1830		
DSG3		
Human		
Squamous Cell Marker		
Recognizes a protein of 130kDa, identified as Desmoglein-3 (DSG3). This monoclonal antibody is highly specific to Desmoglein-3 and does not cross-react with other members of the Desmoglein-family. DSG3 is a calcium-binding transmembrane glycoprotein component of desmosomes in vertebrate epithelial cells. Research has shown that DSG3 has a very high sensitivity (80%) and specificity (100%) in recognizing squamous cell carcinoma (SqCC). Therefore, DSG3 is considered a very important marker for lung SqCC and can be a useful ancillary marker to separate SqCC from other subtypes of lung cancer. Moreover, studies have shown that DSG3 expression in lung SqCC may indicate a poor prognosis.		
Recombinant human Desmoglein-3 extracellular protein fragment (Uniprot: P32926)		
Western Blot, Immunohistochemistry-Paraffin		
Western Blot 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml		
Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.		



Images

Immunohistochemistry-Paraffin: Desmoglein-3 Antibody (DSG3/1535) [NBP3-07873] - Formalin-fixed, paraffin-embedded human Skin stained with Desmoglein-3 Monoclonal Antibody (DSG3/1535).

Immunohistochemistry-Paraffin: Desmoglein-3 Antibody (DSG3/1535) [NBP3-07873] - Formalin-fixed, paraffin-embedded human Lung Squamous Cell Carcinoma stained with Desmoglein-3 Monoclonal Antibody (DSG3/1535).



www.novusbio.com



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-07873-100ug

NBP2-54729PEP	Desmoglein-3 Recombinant Protein Antigen
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-07873

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

