## **Product Datasheet**

### Resistin Antibody (RETN/3331) - Azide and BSA Free NBP3-08250

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08250

Updated 7/16/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-08250




#### NBP3-08250

Resistin Antibody (RETN/3331) - Azide and BSA Free

Product Information	
Unit Size	100 ug
Concentration	1 mg/ml
Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	RETN/3331
Preservative	No Preservative
Isotype	IgG2b Kappa
Purity	Protein A or G purified
Buffer	10 mM PBS
Target Molecular Weight	13 kDa
Product Description	
Description	<ul> <li>1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G.</li> <li>Prepared in 10mM PBS WITHOUT BSA &amp; azide. Also available at 200 ug/ml WITH BSA &amp; azide (NBP3-07242).</li> <li>Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80 C.</li> </ul>
Host	Mouse
Gene ID	56729
Gene Symbol	RETN
Species	Human
Immunogen	Recombinant fragment of human Resistin protein (around aa 19-108) (exact sequence is proprietary) (Uniprot: Q9HD89)
Product Application Details	
Applications	Immunohistochemistry-Paraffin, Protein Array
<b>Recommended Dilutions</b>	Immunohistochemistry-Paraffin 1-2 ug/ml, Protein Array
Application Notes	Immunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.
4	

#### Images

Immunohistochemistry-Paraffin: Resistin Antibody (RETN/3331) [NBP3-08250] - Formalin-fixed, paraffin-embedded human bone marrow stained with Resistin Mouse Monoclonal Antibody (RETN/3331).



www.novusbio.com



technical@novusbio.com

08250] - Formalin-fixed, paraffin-embedded human bone marrow stained with Resistin Mouse Monoclonal Antibody (RETN/3331). Immunohistochemistry-Paraffin: Resistin Antibody (RETN/3331) [NBP3-08250] - Formalin-fixed, paraffin-embedded human spleen stained with Resistin Mouse Monoclonal Antibody (RETN/3331) Inset: PBS used instead of primary antibody as negative control Immunohistochemistry-Paraffin: Resistin Antibody (RETN/3331) [NBP3-08250] - Formalin-fixed, paraffin-embedded human spleen stained with Resistin Mouse Monoclonal Antibody (RETN/3331). Protein Array: Resistin Antibody (RETN/3331) [NBP3-08250] - Analysis of Protein Array containing more than 19,000 full-length human proteins 144 Strength of Signal (Z score) 108 using Resistin-Monospecific Mouse Monoclonal Antibody (RETN/3331). 72 36

Immunohistochemistry-Paraffin: Resistin Antibody (RETN/3331) [NBP3-



www.novusbio.com



#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-08250

Goat anti-Mouse IgG Secondary Antibody [HRP]
Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
Mouse IgG2b Kappa Light Chain Isotype Control (MG2b)
Recombinant Rat Resistin Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08250

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

